

PRODUCT GUIDE

10TH EDITION

applied-inc.com

TRANSFILL

REQUIRED TRAINING

CARTS & RACKS

REGULATORS

CONCENTRATORS



Table of Contents

Using Oxygen

03

- Regulators & Conservers
- Cylinders
- Liter Meters
- Cylinder Bags & Boxes

Storing & Transporting

06

- Rattle-Less Carts & Racks
- Layered Van Racks
- Lockable Lid Cylinder Racks
- Layered Cylinder Carts
- M6 Racks & Carts
- D/E Racks, Carts & Stands
- Large Sized & Liquid Carts

Filling Oxygen

13

- Transfill Systems
- Mobile Fill Racks
- Oxygen Analyzers
- Spec Gases & Regulators
- Vacuum Pumps & Accessories
- System Replacement Parts
- Gauges & Thermometers
- Pigtails
- Labels, Label Guns & Lot Stickers
- Valve Seals, Wet Bands, Dust Caps & Washers
- Filling Accessories
- Liquid Filling Supplies

Cleaning

25

- Maintenance Chemicals

Training & Registration

26

- Training
- FDA Registration & Reporting

OxySafe2

28

Portable Concentrators

29

Stationary Concentrators

30

Emergency Oxygen

31

About Us

At Applied Home Healthcare Equipment LLC, we know what it takes to deliver oxygen safely, keep it secure, and help patients benefit from every molecule. And we know what you need to stay compliant every step along the way. Just ask.

With Applied, you'll get the selection, service, and support you need to help your patients—and manage your business successfully.



‘Opportunity’ is a word that does not give justice to what OxyGo/Applied and the folks that work there can do for a DME business. They help with not only oxygen equipment and supplies, but also the training and compliance required by the industry.”

ST. MARY’S PHARMACY, INC.

Read more client feedback: info.applied-inc.com/testimonials



1210-0400



1109-2015



1109-2028C




1109-2029



1109-2040

Conservers & Regulators

Product Name and Description	Part # / Options
<p>ConservOx Oxygen Conserving Regulator</p> <p>Small and lightweight with single control, ergonomically designed T-handle - easy-to-use. CGA 870 connection, 2-year warranty.</p>	<p>#1210-0400</p>
<p>Mini Click Stop Regulator CGA 540</p> <p>CGA 540. Barb outlet, lightweight aluminum body with brass inner core for O2 compatibility.</p>	<p>#1109-2005 0-8 lpm</p>
	<p>#1109-2015 0-15 lpm</p>
<p>Mini Click Stop Regulator CGA 870</p> <p>CGA 870. Barb outlet, lightweight aluminum body with brass inner core for O2 compatibility.</p>	<p>#1109-2028 0-8 lpm</p>
	<p>#1109-2028C 0-8 lpm, Custom Etched</p>
<p>Mini Click Flex Regulator CGA 870</p> <p>CGA 870. 0-15 lpm, barb outlet. Lightweight aluminum body with brass inner core for O2 compatibility. Settings: 0, 0.5, 1, 1.5, 2, 3, 4, 5, 6, 8, 10, & 15</p>	<p>#1109-2029 0-15 lpm</p>
	<p>#1109-2029C 0-15 lpm, Custom Etched</p>
<p>EMS Click Stop Regulator</p> <p>0-25 lpm hose barb and power take off outlets. All brass design.</p>	<p>#1109-2040 0-25 lpm, CGA 870</p>
	<p>#1109-2042 0-25 lpm, CGA 540</p>



How Many Cylinders From Liquid?

L in Dewar X .80 = # of E Cylinders
of E Cylinders X 4 = # of M6 Cylinders

calculations are approximate

Cylinders


Description	Part No.	Diameter (in)	Height* (in)	Capacity (L)	Valve	Toggle	Gauge	Quantity (units)
M4	3000	3.2	8.5	113	CGA-870	No	No	144
M4	3000T	3.2	8.5	113	CGA-870	Yes	No	144
M6	3001	3.2	11.5	165	CGA-870	No	No	144
M6	3001T	3.2	11.5	165	CGA-870	Yes	No	144
ML6	3004	4.3	7.6	165	CGA-870	No	No	81
ML6	3004T	4.3	7.6	165	CGA-870	Yes	No	81
C / M9	3005	4.3	11	255	CGA-870	No	No	144
C / M9	3005T	4.3	11	255	CGA-870	Yes	No	144
C / M9	3005TS	4.3	11	255	CGA-870	Yes	No	144
C / M9	3005T-PK	4.3	11	255	CGA-870	No	No	6
M7	3007	4.3	9.1	198	CGA-870	No	No	81
D	3009	4.3	16.5	425	CGA-870	No	No	81
D	3009T	4.3	16.5	425	CGA-870	Yes	No	81
D	3009TS	4.3	16.5	425	CGA-870	Yes	No	81
D	3009T-PK	4.3	16.5	425	CGA-870	Yes	No	6
E	3013	4.3	25.5	680	CGA-870	No	No	81
E	3013S	4.3	25.5	680	CGA-870	No	No	81
E	3013T	4.3	25.5	680	CGA-870	Yes	No	81
E	3013TS	4.3	25.5	680	CGA-870	Yes	No	81
E	3013T-PK	4.3	25.5	680	CGA-870	Yes	No	6
M122	3017	8	36	3455	CGA-540	No	No	25
M90	3018	7.3	32.7	2549	CGA-540	No	No	25
M150	3019	8	47.2	4248	CGA-540	No	No	25

* Height to bottom of post valve

Cylinder Replacement Parts

Product Name and Description	Part # / Options
Screw Type Toggle – For CGA-870 Post Valve, sold in bags of 10 with screws.	#1109-5551
Replacement Screw – For Post Valve Toggle, Bag of 10.	#1109-5550-1
Pin Type Toggle – For CGA-870 Post Valve, sold in bags of 10 with pins.	#1109-5552
Post Valve with Toggle For Aluminum Cylinders, Inlet 3/4"-16 Straight Threads, Outlet Oxygen CGA 870. Includes Teflon O-ring.	#1109-5559

Additional Replacement Parts Available Online: applied-inc.com



◀ 1109-2210

Liter Meters

Product Name and Description	Part # / Options
<p>Liter Meter</p> <p>Small, lightweight device that can be used to quickly verify the flow of gas.</p>	<p>#1109-2210 1-8 lpm</p> <hr/> <p>#1109-2215 2-15 lpm</p>



◀ 1170-0020

Cylinder Bags

Product Name and Description	Part # / Options
<p>M6/B 3-in-1 Cylinder Bag</p> <p>Cylinder can be carried horizontally, vertically or as backpack. Features clear window to easily see regulators.</p>	<p>#1170-0010</p>
<p>M6/M9 Cylinder Bag</p> <p>Premium Stylish Cylinder Backpack with convenient zippered accessory pouch. Features padded back, backpack straps and comfort carry handle.</p>	<p>#1170-0020</p>
<p>M6 Cylinder Tote</p> <p>Holds 8 cylinders. Meets requirement for safe cylinder handling required by CGA P-2.</p>	<p>#1170-0040</p>

1170-0154-1 ▶



Cylinder Boxes




◀ 1170-0156-1

Product Name and Description	Part # / Options
<p>M6 Cylinder Box</p> <p>Carries 6 cylinders. One case of 10 boxes.</p>	<p>#1170-0154-1</p>
<p>C Cylinder Box</p> <p>Carries 4 cylinders. One case of 10 boxes.</p>	<p>#1170-0156-1</p>
<p>E Cylinder Box</p> <p>Carries 4 cylinders. One case of 10 boxes.</p>	<p>#1170-0158-1</p>

1170-0158-1 ▶



Specialized, **rattle-less coating** allows for secure fit with significantly reduced noise, keeping delivery drivers and drivers happy.



▼ 1100-1458



◀ 1100-1432



▼ 1100-1437



◀ 1100-1423



1100-1426 ▶

Cylinder Size Guide	
Cylinder Type	Approx. Diameter
M4, M6, B, M	3.2"
M7, M9, C, D, E, M	4.3"
Jumbo D	5.3"
M, M60, H, J, T	7.0" – 9.5"

Rattle-Less Carts & Racks

Product Name and Description

Part # / Options

M6 Racks

6 M6 Rattle-Less Cylinder Rack
Holds 6 M6 cylinders. 8.25"H x 7.625"W x 11.5"L

#1100-1432

8 M6 Rattle-Less Cylinder Rack
Holds 8 M6 cylinders. 8.625"H x 8"W x 15.5"L

#1100-1433

12 M6 Rattle-Less Cylinder Rack
Holds 12 M6 cylinders. 8.25"H x 11.5"W x 19.5"L

#1100-1437

24 M6 Rattle-Less Cylinder Rack
Holds 24 M6 cylinders. 8.375"H x 12"W x 31"L

#1100-1434

D/E Racks

6 D/E Rattle-Less Cylinder Rack
Holds 6 D/E cylinders. 8.375"H x 10"W x 15"L

#1100-1436

12 D/E Rattle-Less Cylinder Rack
Holds 12 D/E cylinders. 8.25"H x 14.5"W x 19.5"L

#1100-1420

24 D/E Rattle-Less Cylinder Rack
Holds 24 D/E cylinders. 8.25"H x 14.5"W x 39"L

#1100-1458

M6 Carts

6 M6 Rattle-Less Cylinder Cart
Holds 6 M6 cylinders. 39.5"H x 13"D x 12.063"W

#1100-1424

12 M6 Rattle-Less Cylinder Cart
Holds 12 M6 cylinders. 36.75"H x 15.5"W x 19"L

#1100-1425

24 M6 Rattle-Less Cylinder Cart
Holds 24 M6 cylinders. 36.75"H x 32"D x 15.5"W

#1100-1427

D/E Carts

6 D/E Rattle-Less Cylinder Cart
Holds 6 D/E cylinders. 39.5"H x 16.5"L x 13.75"W


#1100-1423

12 D/E Rattle-Less Cylinder Cart
Holds 12 D/E cylinders. 36.75"H x 20.25"W x 22"D

#1100-1426

24 D/E Rattle-Less Cylinder Cart
Holds 24 D/E cylinders. 36.75"H x 32"D x 15.5"W

#1100-1487



1100-1711



1100-1792



1100-1794



◀ 1100-1860



1100-1765 ▶

Layered Carts & Racks

Product Name and Description

Part # / Options

Layered Van Racks

50 Cylinders - Horizontal Storage - C, D, E
Holds 50 C, D, E cylinders. 31"D x 27.5"W x 72"H

#1100-1612

50 Cylinders - Horizontal Storage - C, D, E
Holds 50 C, D, E cylinders w/casters. 32"D x 28"W x 73"H

#1100-1613

35 Cylinders - Lockable Door - D, E
Holds 35 D/E cylinders. 46"H x 28"W x 32.5"D

#1100-1711

Lockable Door - Multiple Sizes - D, E, M6
Holds 6 D/E cylinders + 8 M6 cylinders. 32.5"D x 17.5"W x 24"H

#1100-1791

Lockable Door - Multiple Sizes - D, E, C, M6
Holds 12 D/E/C and 8 M6 cylinders. 36"H x 32.5"D x 17.5"W

#1100-1792

Lockable Door - Multiple Sizes - D, E, M6
Holds 12 D/E and 4 M6 cylinders. 31.25"H x 32.25"D x 17.5"W

#1100-1793

Lockable Door - Multiple Sizes - D, E, M6
Holds 12 D/E and 16 M6 cylinders. 32.5"H x 17.5"D x 44.25"W

#1100-1794

25 Cylinders - Lockable Door - D, E
Holds 25 D/E cylinders. 33"H x 28"W x 32.5"D

#1100-1797

50 Cylinders - Lockable Door - E
Holds 50 E cylinders. 32.5"D x 28"W x 62"H

#1100-1798

Multiple Sizes - D, E, M6
Holds 15 D/E and 8 M6 cylinders. 32.5"D x 17.5"W x 41.625"H

#1100-1799

Multiple Sizes - D, E, M6
Holds 25 D/E and 28 M6 cylinders. 32.5"D x 28"W x 51"H

#1100-1778

Lockable Lid Cylinder Racks

4 E Cylinder Rack - Lockable Lid
Holds 4 E cylinders. 35"H x 10.5"D x 12.5"W

#1100-1721

6 E Cylinder Rack - Lockable Lid
Holds 6 E cylinders. 35"H x 12"D x 15"W

#1100-1860

24 E Cylinder Rack - Lockable Lid
Holds 24 E cylinders. 35"H x 20"D x 32"W

#1100-1725

Layered Cylinder Carts

98 Cylinders - Multiple Sizes - M4, M6, B
Holds 98 M4, M6 and B cylinders. 65.75"H x 31.5"D x 27.25"W

#1100-1602

196 Cylinders - Multiple Sizes - M4, M6, B
Holds 196 M4, M6 and B cylinders. 65.75"H x 31.5"D x 27.25"W

#1100-1604

Transport Cart - Multiple Sizes - D, E
Holds 50 D/E cylinders. 48"H x 42"W x 32"D

#1100-1765



◀ 1100-1931



1100-1932 ▶



◀ 1100-1933



1100-1937 ▶



1100-1934




1100-1938




▲ 1100-1853



1100-1854



1100-1856




1100-1939

M6 Cylinder Storage Solutions


Product Name and Description	Part # / Options
4 M6 Cylinder Rack 8.25"H x 7.625"W x 7.625"L	#1100-1931
6 M6 Cylinder Rack 8.25"H x 7.625"W x 11.5"L	#1100-1932
8 M6 Cylinder Rack 8.25"H x 7.625"W x 15.5"L	#1100-1933
12 M6 Cylinder Rack 8.25"H x 19.5"D x 11.5"W	#1100-1937
24 M6 Cylinder Rack 8.25"H x 11.5"W x 30.625"L	#1100-1934
40 M6 Cylinder Rack 8.25"H x 38.5"D x 14.25"W	#1100-1938
60 M6 Cylinder Rack 8.25"H x 49"D x 29.5"W	#1100-1939
6 M6 Vertical Cylinder Rack With hold down bars and feet. 19.5"H x 10"D x 12"L	#1100-1853
12 M6 Vertical Cylinder Rack With hold down bars and feet. 19.5"H x 12"D x 18"W	#1100-1856
30 M6 Vertical Cylinder Rack With hold down bars and feet. 16"H x 23"D x 19"W	#1100-1854
60 M6 Vertical Cylinder Rack With hold down bars and feet. 16"H x 39"D x 23"W	#1100-1855

Cylinder Size Guide	
Cylinder Type	Approx. Diameter
M4, M6, B, M	3.2"
M7, M9, C, D, E, M	4.3"
Jumbo D	5.3"
M, M60, H, J, T	7.0" – 9.5"




D/E Cylinder Storage Solutions

Product Name and Description	Part # / Options
1 D/E Cylinder Stand 6"H x 9"D x 9"W	#1100-1806
1 D/E/C Cylinder Stand 7"H x 9.5"W x 9.5"L	#1100-1901
2 E Cylinder Stand 7"H x 9"W x 14"L	#1100-1807
4 E Vertical Cylinder Stand With hold down bars and feet. 35"H x 12.5"D x 10.5"W	#1100-1890
6 E Vertical Cylinder Stand With hold down bars and feet. 19.5"H x 12"D x 15"W	#1100-1891
12 E Vertical Cylinder Stand With hold down bars and feet. 19.5"H x 15"D x 22"W	#1100-1892
24 E Vertical Cylinder Stand With hold down bars and feet. 19.5"H x 20"D x 32"W	#1100-1894
40 E Vertical Cylinder Stand With hold down bars and feet. 20"H x 40"D x 25"W	#1100-1895
4 E Cylinder Rack 8.375"H x 10"W x 10"L	#1100-1951
6 E Cylinder Rack 8.375"H x 10"W x 15"L	#1100-1936
8 E Cylinder Rack 8.25"H x 9.75"W x 19.5"L	#1100-1935
12 E Cylinder Rack 8.25"H x 14.5"W x 19.5"L	#1100-1920
24 E Cylinder Rack 8.25"H x 14.5"W x 39"L	#1100-1958
40 E Cylinder Rack 8.25"H x 19"W x 49"D	#1100-1940



M6 Cylinder Handling & Transport Solutions



Product Name and Description	Part # / Options
1 M6 Cylinder Cart 41"H x 10"D x 12"W	#1100-1810
30 M6 Cylinder Cart 40"H x 23"D x 19"W	#1100-1844
60 M6 Cylinder Cart Medium duty with four wheels. 40"H x 39"D x 23"W	#1100-1846
4 M6 Cylinder Cart 39.5"H	#1100-1922
6 M6 Cylinder Cart 39.5"H	#1100-1924
12 M6 Cylinder Cart 36.75"H x 16.5"W x 19"D	#1100-1925
24 M6 Cylinder Cart 36.75"H x 32"D x 15.5"W	#1100-1927
6 Cylinder Cart - M7, M9, C, D, E With 2 casters and 2 wheels. 42"H x 15"D x 18"W	#1100-1857


Cylinder Size Guide	
Cylinder Type	Approx. Diameter
M4, M6, B, M	3.2"
M7, M9, C, D, E, M	4.3"
Jumbo D	5.3"
M, M60, H, J, T	7.0" – 9.5"



D/E Cylinder Handling & Transport Solutions

Product Name and Description	Part # / Options
1 D/E/C Cylinder Cart - Adjustable Handle Sold in packs of 6. 11.68"W x 10.5"D x 38.5-43"H	#1100-1911
MRI Non-Magnetic Aluminum D/E Cylinder Cart* Holds 1 cylinder. 38.5"W x 43"H	#1100-1913
2 D/E Cylinder Cart 41"H x 10"D x 41"W	#1100-1804
2 D/E Cylinder Cart 38.5"H x 11"D x 13.75"W	#1100-1912
4 D/E Cylinder Cart 39.5"H	#1100-1921
4 D/E Cylinder Cart - 2 Wheels, 2 Legs 42"H x 10"D x 18"W	#1100-1840
6 D/E Cylinder Cart - 2 Wheels, 2 Legs 42"H x 15"D x 18"W	#1100-1841
6 D/E Cylinder Cart 39.5"H x 13.75"W	#1100-1923
12 D/E Cylinder Cart 36.75"H x 20"W x 22"L	#1100-1926
12 D/E Cylinder Cart - 2 Wheels, 2 Legs 42"H x 20"D x 22"W	#1100-1872
12 D/E Cylinder Cart - 2 Wheels, 2 Casters 42"H x 20"D x 22"W	#1100-1873
24 D/E Cylinder Cart - 4 Casters 42"H x 30"D x 20"W	#1100-1874
24 D/E Cylinder Cart - 4, 6" Casters 45"H x 31.5"D x 21.5"W	#1100-1885
24 D/E Cylinder Cart - 6, 6" Casters 45"H x 46.5"D x 25.25"W	#1100-1886


* For use outside the bore of an MR machine under the following conditions: Static magnetic field of 3.0 Tesla or less; Spatial gradient field of .3 Tesla/meter or less.



◀ 1100-1814



1100-1812 ▶



◀ 1100-1819



◀ 1100-1829



1100-1822 ▶

Large Sized Cylinders & Liquid Carts

Product Name and Description	Part # / Options
1 M60/M Cylinder Cart - Cannula Hook 40"H x 13"W x 12"D	#1100-1812
1 M Cylinder Stand - 8" Diameter 6"H x 14"D x 14"W	#1100-1814
1 M60 Cylinder Stand - 7" Diameter 6"H x 14"D x 14"W	#1100-1815
1 M60 Cylinder Cart - Dolly Style Handles 46"H x 15"D x 15"W	#1100-1819
1 Large Liquid Cylinder Cart With pneumatic wheels and rear swivel casters. 46"H x 28"W	#1100-1820
1 H/T Cylinder Cart - Dolly Style Handle With solid rubber wheels and swivel casters. 46"H x 15"D x 15"W	#1100-1822
2 H/T Cylinder Cart 46"H x 28"D x 25"W	#1100-1829

1100-1820 ▶



Cylinder Size Guide	
Cylinder Type	Approx. Diameter
M4, M6, B, M	3.2"
M7, M9, C, D, E, M	4.3"
Jumbo D	5.3"
M, M60, H, J, T	7.0" – 9.5"



◀ OF-7000



▲ OF-510



◀ HME-0003

Transfill Systems

Product Name and Description	Part # / Options
OxyFill Liquid to Gas Oxygen Refilling System Fills up to 66 oxygen cylinders per hour. Quiet operation, turnkey setup and easy maintenance.	#OF-7000
Rebuilt OxyFill Liquid to Gas System Machine that has been rebuilt to the equivalent of new.	#OF-700R
OxyFill Base Refilling System Fills 5 small cylinders from six "H" cylinders. Includes mounting hardware, connections, and pigtails.	#OF-510
OxySupply Base: 6 Cylinder Supply Fills from 6 supply cylinders. Recommend for those who use 60 or less cylinders per week.	#OF-586
OxySupply Base: 8 Cylinder Supply Fills from 8 supply cylinders. Recommend for those who use 80 or less cylinders per week.	#OF-588

Mobile Fill Racks

12 Cylinder Mobile Fill Rack Increases system filling capacity by 12 cylinders. With easy hand tightening knobs, pigtail, and industrial swivel casters.	#HME-0003
20 Cylinder Mobile Fill Rack Increases system filling capacity by 20 cylinders. With easy hand tightening knobs, pigtail, and industrial swivel casters.	#HME-0002
20 Place Mobile Filling Rack With CGA-870 quick connectors.	#HME-0002-QC
12 Place Mobile Filling Rack With CGA-870 quick connectors.	#HME-0003-QC

Quick Connectors

High Speed OxyFill Quick Connector Works with all CGA-870 post valves, 1/2" NPT male inlet for use on oxygen manifolds. (Not available in 1/4" NPT).	#1109-9932-1
--	--------------

Applied's Worry-Free Transfilling

- Complete, documented installation and training on-site. Plus FDA registration, procedure manual template and required form training.
- We hold your hand throughout the entire process—to minimize worry and keep you compliant!

Download a FREE
Cost-Savings Worksheet
applied-inc.com/cost-savings



OF-941



OF-990



SG-100-1

Instant Gas Refill Program

Scan the QR code or visit:
bit.ly/instant-gas



1108-0004

Oxygen Analyzers

Product Name and Description	Part # / Options
Servomex 5230 Model 3 For use with oxygen strength measurement (+-0.1%). Includes power adapter. Compliant with and required by FDA Guidelines.	#OF-941
Servomex Oxygen Analyzer Loaner Rental Keep filling while your unit is in for annual maintenance.	#OF-935
Servomex A+ Check Annual maintenance includes calibration testing and certificate.	#OF-936
Power Supply For Servomex 575, 5200, and O2 analyzer.	#OF-575PS
Replacement Filter For Servomex 570, 572, 575, and 5200.	#OF-903
Servomex Drying Tube	#OF-906

Handheld Analyzers

OxyStat O2 Analyzer Handheld analyzer, measures 0.5 to 100% concentration with 2% accuracy. Calibrates to room air or oxygen source. AA batteries included with tubing.	#OF-990 OxyStat Analyzer
	#OF-991 Replacement Sensor

Spec Gases & Regulators

Oxygen Calibration Gas CGA 540 Aluminum E Cylinder. See Instant Gas Order Form online.	#SG-100-1
Nitrogen Calibration Gas - (0/Low) for Servomex CGA 580 Aluminum E Cylinder. See Instant Gas Order Form online.	#SG-200
Nitrogen Purging Gas - (Comparable to Nitrogen NF) CGA 580 Aluminum E Cylinder. See Instant Gas Order Form online.	#SG-300-1
Nitrogen Calibration Regulator CGA 580. Inlet max 3,000 psig; Outlet: Adjustable, max 10 psig.	#1108-0004
Oxygen Calibration Regulator CGA 540. Inlet: max 3,000 psig; Outlet: Adjustable, max 10 psig.	#1108-3113
Calibration / Air Regulator Adjustable 2 to 10 psig, with metering orifice. CGA 346.	#1108-3114



1120-0181-1



1109-1010



1110-1454

SEE IF TRANSFILLING IS RIGHT FOR YOUR BUSINESS.

If you answer “yes” to any of the following, then transfilling could save you a significant amount of money and headaches!

- I want to save money.
- I'm using a significant number of cylinders and costs just keep going up.
- My supplier is constantly adding fees, losing my cylinders, and running out of cylinders when I need them.
- My business and volume is increasing.

Gas to Gas Replacement Parts

Product Name and Description	Part # / Options
Check Valve Spud CV Spud for Supply Manifold. 1/2" MNPT x CGA 540.	#1120-0181-1
CGA 540 Connection T Made of brass with a CGA 540 Female Inlet and two CGA 540 Male Outlets, with 3,000 psi working pressure. 2.75" x 2.75".	#1109-1010
Supply Side Addition Adds one supply side station. Includes mounting hardware, manifold, stainless steel pigtail.	#OF-503
High Pressure Control Regulator Oxygen Service. 3,000 psig, 1/4" MNPT inlet. 2,500 psig, 1/4" MNPT outlet. 2 Gauges and calibration certificates.	#1110-1454

Vacuum Pumps & Accessories

Felt Filter for Super Duty Vacuum Pump	#1108-0008
Muffler for Super Duty Vacuum Pump - 1/4"	#1108-0009
End Cap Assembly for Super Duty Vacuum Pump	#1108-0010
Super Duty Vacuum Pump Includes 3 prong/15 amp plug and on/off control. One unit w/plug.	#1108-0013
Vacuum Regulator with High Pressure Inlet 1/4" NPT outlet with relief valve and certified vacuum gauge.	#1110-0423-1
Vacuum Pump Service Kit Includes: 4 Carbon Vanes, 2 Felt Filters, 2 O-rings, and 1 Gasket Rebuild Kit for OF-7000 or HP-40 Liquid to Gas systems.	#OF-722

Applied's Worry-Free Transfilling

- Complete, documented installation and training on-site. Plus FDA registration, procedure manual template and required form training.
- We hold your hand throughout the entire process—to minimize worry and keep you compliant!

**Download a FREE
 Cost-Savings Worksheet**
applied-inc.com/cost-savings



OF-720



OF-734



OF-735



OF-751



OF-756



OF-803

Liquid to Gas Replacement Parts

Product Name and Description	Part # / Options
Super Duty Vacuum Pump For OF-7000 / HP-40 systems.	#OF-720
3-Way Ball Valve - 1/4" NPT, Female For OF-720 vacuum pump on OF-7000 or HP-40 system.	#OF-721
Vent Valve - OF-7000 or HP-40 Inlet 1/4" NPT Male. Outlet 1/4" NPT Female.	#OF-734
Cryogenic Valve - OF-7000 or HP-40 3/8" NPT Female by 3/8" NPT Female.	#OF-735
Clevis for Stainless Steel Roller For OF-700, OF-700R, OF-7000, HP-40. OF-737 & OF-745.	#OF-736
Replacement Clevis Roller For OF-700, OF-700R, OF-7000, HP-40.	#OF-737
Pump O Ring Seals For OF-700, OF-700R, OF-7000, HP-40.	#OF-738
Vacuum Pump Filters - for OF-720 Vacuum Pump 3/8" NPT Muffler. For OF-700, OF-700R, OF-7000, HP-40.	#OF-742
Vacuum Pump Muffler 3/8" NPT Muffler. For OF-700, OF-700R, OF-7000, HP-40.	#OF-743
Side Roller 1" outer diameter. For OF-700, OF-700R, OF-7000, HP-40.	#OF-745
Pressure Building Regulator For OF-700, OF-700R, OF-7000, HP-40.	#OF-747
Pressure Switch - 1600 psi For let side of OF-700, OF-700R, OF-7000, HP-40.	#OF-750
Top Pump Seal For OF-700, OF-700R, OF-7000, HP-40.	#OF-751
Top Seal, Nut and Clip For Liquid System SN #239 and newer.	#OF-756
Liquid Level Gauge For OF-700, OF-700R, OF-7000, HP-40.	#OF-760
Condensation Purge Kit Reduced ice build up and keeps system working better, longer.	#OF-803

**Additional Filling Tips
Available Online**

applied-inc.com/i-fill-oxygen

Gauges & Thermometers



◀ 1108-0119C

1108-0115-1C ▶

◀ 1108-0016

◀ 1108-0016G

1108-0017 ▶

◀ 1110-0420C

1120-0057C ▶

Product Name and Description	Part # / Options
<p>Test Gauge for High Pressure Oxygen To 4,000 psig. CGA 870 yoke connection.</p>	#1108-0016
<p>Replacement High Pressure Gauge 0 - 5,000 psi. Inlet 1/4" NPT Male, Bottom Port, 4".</p>	#1108-0016G
<p>Low Pressure Test Gauge 0 - 60 psi. 9/16" inlet connection.</p>	#1108-0017
<p>Low Pressure Test Gauge 0 - 30 psig. 9/16" inlet connection. Includes NIST certification.</p>	#1108-0018
<p>PSI Certified Test Gauge 0 - 100 psi. 9/16" swivel female inlet connection.</p>	#1108-0023
<p>Digital Thermometer for Transfilling Certified to NIST standards.</p>	#1108-0115-1C
<p>Infrared Cylinder Thermometer - Calibrated Certified to NIST standards. Includes conversion chart and batteries.</p>	#1108-0119C
<p>High Pressure Gauge - Calibrated 2.5" gauge face. 0 - 4,000 psig. Inlet 1/4" NPT male. NIST certified.</p>	#1120-0057C
<p>Vacuum Gauge - Calibrated 2" gauge face. 0 - 30" Hg. 1/4" NPT inlet bottom port. NIST certified.</p>	#1110-0420C
<p>High Pressure Gauge 2" gauge face. 4,000 psig. Bottom port, 1/4" NPT brass post.</p>	#1120-0166
<p>Low Pressure Gauge 2" gauge face. 0 - 100 psi. Inlet 1/4" NPT male. Bottom port, 2".</p>	#1120-0167

Additional Filling Tips Available Online:
applied-inc.com/i-fill-oxygen



1110-0503



1110-0518



1110-0501H



1110-0506H



1110-0508



1110-0600




1110-0601

Pigtails

Product Name and Description	Part # / Options
Stainless Steel Supply Side Pigtail No Check Valve	#1110-0501
Stainless Steel Pigtail - PTFE Lined, 36"	#1110-0501H
Stainless Steel Supply Side Pigtail No Check Valve, 24"	#1110-0503
Stainless Steel Supply Side Pigtail for O2 No Check Valve, 24"	#1110-0503H
Stainless Steel Supply Side Pigtail for O2 - PTFE Lined	#1110-0504
Stainless Steel Braided Pigtail - PTFE Lined, 36"	#1110-0506
Stainless Steel Braided Pigtail - PTFE Lined, 36"	#1110-0506H
Stainless Steel Filling Pigtail - 24"	#1110-0508
Stainless Steel Filling Pigtail - 48"	#1110-0600
Stainless Steel Supply Side Pigtail for O2 No Check Valve, 48"	#1110-0601
Stainless Steel Braided Pigtail - PTFE Lined, 48"	#1110-0601H
Stainless Steel Pigtail - PTFE Lined, 36"	#1110-0518
Stainless Steel Pigtail for O2 - PTFE Lined, 48"	#1110-0519

Additional Filling Tips Available Online:
applied-inc.com/i-fill-oxygen



1109-0006 -2023

1109-0003 -2023



1109-0001



1109-0004



1109-0002A

Cylinder Labels

Product Name and Description	Part # / Options
Custom Oxygen Compressed Drug Label Regulatory compliant. 1,000 label minimum order.	#1109-0006-2023
Blank Pack of Compressed Oxygen Product Labels Regulatory compliant. Stamp info with water-resistant ink. Pack of 100.	#1109-0005-2023
Custom Oxygen Compressed Shoulder Label 1,000 label minimum.	#1109-2026

Liquid Labels

Custom Refrigerated Liquid Oxygen Product Labels Regulatory compliant. Use with cryogenic vessels. Rolls, min. 25 each.	#1109-0003-2023
Blank Refrigerated Liquid Oxygen Labels Regulatory compliant. Stamp info with water-resistant ink. Pack of 25.	#1109-0010-2023

Label Guns & Lot Stickers

OXYMARK 4 Label Gun Prints two lines: Lot Number and Expiration Date or Contents.	#1109-0001
MONARCH Label Gun Prints two lines: Lot Number and Expiration Date or Contents.	#1109-0004
OXYMARK Stickers - Blank 750 stickers per roll.	#1109-0002
OXYMARK Stickers - Lot and Expiration Date Lot and Expiration Date. Required by 21 CFR 211.130. 750 per roll.	#1109-0002A
OXYMARK Stickers - Lot and Liter Lot and Liter. 750 per roll. Required by 21 CFR 211.130.	#1109-0002B
OXYMARK Stickers - Lot and Cubic Feet Lot and Cubic Feet. 750 per roll. Required by 21 CFR 211.130.	#1109-0002C
MONARCH Stickers - Blank Blank. 1,500 stickers per roll. For use with #1109-0004.	#1109-0008
MONARCH Stickers - Lot and Contents 1,500 stickers per roll. For use with #1109-0004.	#1109-0008A
MONARCH Stickers - Lot and Expiration Date 1,500 stickers per roll. For use with #1109-0004.	#1109-0008B
MONARCH Ink Roller For use with #1109-0004.	#1109-0001IR
OXYMARK Ink Roller For use with #1109-0001.	#1109-0002IR

Cylinder Caution Tags

White, Attaches with Elastic String EMPTY / PART FULL / FULL. Box of 1,000.	#1109-0007
---	------------



◀ 1109-0053

1109-0048 ▶



◀ 1109-0019

1100-9966 ▶



1109-0037 ▶



◀ 1109-1017

Valve Seals

Product Name and Description	Part # / Options
OXYLOK Large Size Plastic Valve Seals - White Required by 21 CFR 211.80. Bag of 1,000. Easy patient removal.	#1109-0048
OXYLOK Mini Size Plastic Valve Seals - White Required by 21 CFR 211.80. Box of 3,000. Easy patient removal.	#1109-0053
Plastic Valve Seal - White Required by 21 CFR 211.80. Bag of 1,000. With pull tab.	#1109-0013

Wet Bands – Goes on Wet, Shrinks as it Dries

Standard Size Cellulose Wet Bands – Bucket of 2,500	#1109-0019
Standard Size Cellulose Wet Bands – Bucket of 18,000	#1109-0020
Large Size Cellulose Wet Bands – Bucket of 1,000	#1109-0022
Large Size Cellulose Wet Bands – Bucket of 11,500	#1109-0021
Standard Size Cellulose Wet Bands - Perforated Bucket of 2,500.	#1109-0037

Dust Caps

Green Plastic Dust Caps CGA 540. Keeps dust and dirt out of cylinder valve. Bag of 100.	#1109-0028
Blue Plastic Dust Caps CGA 540. Keeps dust and dirt out of cylinder valve. Bag of 100.	#1109-0029

Washers

Nylon Yoke Washers Bag of 1,000. One-time use only. Do not re-use or over torque. Inner diameter = .25" Outer diameter = .58"	#1109-0068
Single-Use Tefzel Yoke Washers – Bag of 50	#1109-0070
Brass and Viton Washers Bag of 50. Reusable. Durable, safe to use in oxygen atmospheres. More fire resistant and less susceptible to decomposition.	#1109-1017

Oxygen Swivel Hose Barb


Green 9/16" Swivel Hose Barb (Christmas tree) Bag of 50.	#1100-9966
--	------------



0900-0590



0900-0591



0900-0555



0900-0550



0900-0531



0900-0511



0900-0300



0900-0411



0900-0600

Single Filling Adapters

Product Name and Description	Part # / Options
Replacement PB(R) Fillhead	#0900-0590

Double Filling Adapters

Replacement Caire(R) Fillhead	#0900-0591
--------------------------------------	-------------------

Replacement Cryogenic Fillheads

Single Fillhead - PB(R) Single fill adapter with pressure relief and PB(R) filling head.	#0900-0555
--	-------------------

Double Fillhead - PB/Caire(R)	#0900-0550
--------------------------------------	-------------------

Filling Accessories

Safety Relief "T" Used to help prevent a rupture in a case where liquid is trapped in a hose.	#0900-0531
---	-------------------

CGA-440 Swivel Cryogenic swivel used to eliminate hose twists and kinks when filling or making connections.	#0900-0511
---	-------------------

Cryogenic 90° Elbow Used to reduce line stress and help eliminate chatter with transfer hose.	#0900-0300
---	-------------------

Cryo-Scale Used when filling cryo-home units to measure when a container is filled.	#0900-0600
---	-------------------

CGA 440 x CGA 440 Female connector.	#0900-0411
---	-------------------


Wrap Around Tape

Cryogenic Wrap Around Tape 250 feet. Cut the desired length you need. Peel-off backing.	#1110-0110
---	-------------------

Additional Filling Tips Online: applied-inc.com/i-fill-oxygen



◀ 1109-0088




◀ 1109-0009

1109-0089 ▶



1109-5571 ▶

1109-5580 ▶



◀ 1100-9923



◀ 1100-9930

Tape

Product Name and Description	Part # / Options
Teflon Tape 1/2" For sealing NPT oxygen connections. Sold in rolls.	#1100-9910
Teflon Tape 1/4" For sealing NPT oxygen connections. Sold in rolls.	#1100-9911

Label Scrapers

Plastic Label Scraper Designed to help remove labels from cylinders and liquid vessels.	#1109-0009
Razor Blade Scraper Helps remove labels from cylinders and liquid vessels.	#1109-0088
Scraper Replacement Blades Replacement blades for razor blade scraper. Pack of 5.	#1109-0089

Cylinder Paint

Spray Can Green Cylinder Paint 16oz spray can. For touching up medical oxygen cylinders (valve must be masked).	#1109-5557
One Gallon Green Cylinder Paint One gallon. For touching up medical oxygen cylinders (valve must be masked).	#1109-5558


Cylinder Wrenches

Plastic E Wrench Heavy duty plastic wrench for "E" size cylinders. Packs of 50.	#1109-5571
Metal Valve Wrench – CGA 870 Sold individually.	#1109-5580
Metal Valve Wrench – CGA 540 Sold individually.	#1109-5581

O2 Lubricant

Christo-Lube Lubricant For oxygen components. Approx. 3 oz. container size.	#1100-9923
Krytox GR Lubricant For oxygen components. 2 oz. tube.	#1100-9930

1109-1010 ▶




▲ 1109-1014



▲ 1109-1014H



▲ 1109-1018H



▲ 1109-1038H

1109-9914 ▶












◀ 1109-9920

Medical Fittings & Connections

Product Name and Description	Cylinder Sizes	Part # / Options
CGA-540 Connection "T" Oxygen	H, J, K, L, T, etc.	#1109-1010
CGA-870 Chrome Plated Yoke Medical Oxygen. On pigtail, 1/4".	A, B, C, D, E, M-6	#1109-1014
CGA-870 Yoke w/Large Hand Knob Oxygen. On pigtail, 1/4".	A, B, C, D, E, M-6	#1109-1014H
CGA-870 Yoke for Manifold Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1018
CGA-870 Heavy Duty Yoke Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1038
CGA-870 Yoke w/Large Hand Knob Heavy duty. Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1018H
CGA-870 Yoke w/Large Hand Knob Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1038H
CGA-540 Nipple Oxygen Nipple. Brass 2-1/2"	H, J, K, L, T, etc.	#1109-9914
CGA-540 Nipple, 1/4" NPT Oxygen Nipple. Brass 2-1/2"	H, J, K, L, T, etc.	#1109-9916
Large Hand Grip Yoke Screw All yokes. Brass 2-1/2"	A, B, C, D, E, M-6	#1109-9920

Additional Filling Tips Online: applied-inc.com/i-fill-oxygen

Medical Fittings & Connections

Product Name and Description	Cylinder Sizes	Part # / Options
 <p>CGA-870 Quick Connector, 1/4" NPT Oxygen. For pigtails and inverted racks.</p>	A, B, C, D, E, M-6	#1109-9931-1
 <p>Replacement Washer For Quick Connectors 1109-9931-1, 1109-9932-1</p>	A, B, C, D, E, M-6	#1109-9935
 <p>CGA-540 Nipple, Large Hand Grip Oxygen.</p>	H, J, K, L, T, etc.	#1109-9923
 <p>CGA-540 Soft Tip Nipple Oxygen. For use with large hand grip nut.</p>	H, J, K, L, T, etc.	#1109-9924
 <p>CGA-580 Nitrogen Nipple Nitrogen. Brass nipple.</p>	H, J, K, L, T, etc.	#1109-9926
 <p>CGA-870 Quick Connector Yoke, 1/2" NPT Oxygen.</p>	A, B, C, D, E, M-6	#1109-9932-1
 <p>Yoke Screw, All Yokes</p>	A, B, C, D, E, M-6	#1109-9985
 <p>CGA-540/870 Yoke Adapter Medical Oxygen. 1/4" NPT.</p>	A, B, C, D, E, M-6	#1110-0514
 <p>CGA-540/870 Yoke Adapter w/Hand Knob Medical Oxygen. 1/4" NPT.</p>	A, B, C, D, E, M-6	#1110-0514H

Additional Filling Tips Online: applied-inc.com/i-fill-oxygen



◀ 1109-1023-1

1109-5520 ▶
1109-5524
1109-5521



◀ 1100-0026-1
1100-0022-1
1100-0021

1100-0130 ▶
1100-0132
1100-0134



◀ 1109-5527
1109-5528
1109-5529

Maintenance Chemicals

Product Name and Description Part # / Options

Leak Test Solution

One Gallon **#1109-1023-1**
Meets MIL-PRF-25567E specifications for oxygen compatibility.

Label Remover

No residue, no rinse formula leaves no residue and is fast drying. Meets Mil Spec PD-680.

One Gallon **#1109-5520**

120 Count Wipes **#1109-5524**

32 oz. Bottle **#1109-5521**

Oxygen Equipment Cleaner

Meets requirements for CGA (O2-DIR listed) oxygen cleaning solutions when used as directed, with instructions and SDS.

One Gallon **#1100-0026-1**

120 Count Wipes **#1100-0022-1**

32 oz. Bottle **#1100-0021**

Cylinder Surface Cleaner

Leaves no residue, fast drying, no rinsing needed, biodegradable.

One Gallon **#1100-0130**

120 Count Wipes **#1100-0132**

32 oz. Bottle **#1100-0134**



Concentrator Cleaner

Leaves no residue and fast drying. No rinsing needed. Biodegradable, USDA approved. No flashpoint. Pleasant fragrance. Made in the USA.

One Gallon **#1109-5527**

120 Count Wipes **#1109-5528**

32 oz. Spray Bottle **#1109-5529**



Training	
Product Name and Description	Part # / Options
Live Stream Training	
FDA, DOT and Accreditation Seminar - Live Stream Our popular full day seminar hosted as a live stream to your computer. Covers everything you need to meet oxygen training requirements! Approved for 5.75 CRCE.	#OF-STREAM
On-Demand Training	
FDA, DOT and Accreditation Seminar - On-Demand Our popular full day seminar on-demand. Covers everything you need to meet oxygen training requirements. Does not include CEUs.	#OF-1005 OD
Filling On-Demand - 12 Month Subscription Includes anytime access to online classes: Filling 101, Oxygen 101, Liquid 101, and Servomex 5200 Operators Course.	#OF-5000F OD SUB
Delivery On-Demand - 12 Month Subscription Includes anytime access to online classes: Delivery 101, Oxygen 101, and HazMat Security Awareness.	#OF-5000D OD SUB
Gas-to-Gas On-Demand Video Training - Subscription Video training for safely refilling your cylinders, step by step, and complying with FDA standards.	#OF-1500 OD SUB
Liquid-to-Gas On-Demand Video Training - Subscription Learn the basics in safely refilling your cylinders, and complying with FDA standards. OF-7000 or HP-40 System.	#OF-1550 OD SUB
Filling 101 On-Demand Class Covers the FDA required pre-fill, fill and post-fill steps when filling liquid- to-gas or gas-to-gas. One time view.	#OF-111 OD
Filling 101 On-Demand Class - Subscription Covers the FDA required pre-fill, fill and post-fill steps when filling liquid- to-gas or gas-to-gas. 12 months. Unlimited views.	#OF-111 OD SUB
Delivery 101 On-Demand Class Covers the basics of delivering oxygen: vehicle requirements, shipping papers and driver training requirements. One time view.	#OF-112 OD
Delivery 101 On-Demand Class - Subscription Covers the basics of delivering oxygen: vehicle requirements, shipping papers and driver training requirements. 12 months. Unlimited views.	#OF-112 OD SUB

Did You Know?

The FDA requires training on a “frequent and continuing basis,” usually interpreted to be about twice a year.

- The Quality Control Unit, and all Oxygen Transfilling Personnel should have proper FDA training for their jobs.
- Drivers need training as a requirement for FDA if they fill from a transfill system or if they fill liquid to liquid curbside.
- The DOT requires drivers to have training “at least every 3 years, and within 90 days of employment for new employees.”

WE CAN HELP YOUR TEAM STAY COMPLIANT!



Training

Product Name and Description

Part # / Options

On-Demand Training

HazMat Security Awareness On-Demand Class

Learn potential targets, potential threats and prevention tools to keep you and your hazardous materials safe. One time view.

#OF-113 OD

HazMat Security Awareness On-Demand - Subscription

Learn potential targets, potential threats and prevention tools to keep you and your hazardous materials safe. 12-months. Unlimited views.

#OF-113 OD SUB

Oxygen 101 On-Demand Class

Covers the hazards of oxygen, including oxygen safety demos and the details on safe handling of oxygen. One time view.

#OF-114 OD

Oxygen 101 On-Demand Class - Subscription

Covers the hazards of oxygen, including oxygen safety demos and the details on safe handling of oxygen. 12-months. Unlimited views.

#OF-114 OD SUB

Servomex 5200 On-Demand Class

How to calibrate, operate, and maintain, plus required documentation including regulatory requirements. One time view.

#OF-115 OD

Servomex 5200 On-Demand Class - Subscription

How to calibrate, operate, and maintain, plus required documentation including regulatory requirements. 12-months. Unlimited views.

#OF-115 OD SUB

Liquid 101 On-Demand Class

FDA required pre-fill, fill & post-fill steps when filling liquid to liquid at your place of business or curbside. One time view.

#OF-116 OD

Liquid 101 On-Demand Class - Subscription

FDA required pre-fill, fill & post-fill steps when filling liquid to liquid at your place of business or curbside. 12-months. Unlimited views.

#OF-116 OD SUB

SOPs Policy and Procedure - Subscription

Downloadable Word documents that can be used as a template to create your firm's SOPs. Download access valid for 1 year.

#OQ-220

FDA Registration

FDA Electronic Registration for Transfillers

Establishment registration and one drug listing for oxygen if needed. Re-registration reminder. Processed between 10/1-12/31.

#OF-101

Annual FDA Renewal for Transfillers

One time FDA Electronic Registration Renewal submitted between 10/1-12/31. Expires the next calendar year on 12/31.


#OF-105

Annual FDA Drug Reporting

FDA reporting for oxygen filled at one registered location. Due annually for the previous year.

#OF-107


Patient Set-Up



Use OxySafe2's special tubing to place OxySafe2 as close to the patient and as close to the oxygen supply as possible.

We recommend the **OxySafe2 Complete Patient Kit** (#1109-2522).

Kit includes two OxySafe2 (#1109-2221), one 2" tubing connector (#1109-2014), and one 2" nasal cannula (#1109-2023).



1109-2522


OxySafe2™

Product Name and Description	Part # / Options
OxySafe2 Nasal Cannula Kit Includes OxySafe2 with hose barb connections and high quality 2" nasal cannula. Sold in bags of 25.	#1109-2520
OxySafe2 Concentrator & Regulator Kit Includes OxySafe2 with hose barb connections and 2" tubing connector with female trumpet ends. Sold in bags of 25.	#1109-2517
OxySafe2 Complete Patient Kit Includes two OxySafe2, one 2" tubing connector (1109-2017) and one 2" nasal cannula (1109-2020).	#1109-2522
OxySafe2 Nasal Cannula - Bag of 100	#1109-2023
2" Tubing Connector - Bag of 100	#1109-2014
Replacement OxySafe2 - Box of 100	#1109-2221

Concentrator / Regulator Set-Up

We recommend the **OxySafe2 Concentrator & Regulator Kit** (#1109-2517).

Kit includes OxySafe2 (#1109-2221) with hose barb connections and 2" tubing connector with female trumpet ends (#1109-2014).



OxySafe2™ Parts

OxySafe2 Replacement

1109-2221



OxySafe2 2" Tubing Connector

1109-2014



OxySafe2 Nasal Cannula

1109-2023





1400-3000

OxyGo POCs

Product Name and Description	Part # / Options
<p style="text-align: center;">OxyGo NEXT™ 7.19" x 3.26" x 8.15" 4.7 lbs.</p> <ul style="list-style-type: none"> ▪ 6 Pulse Flow Settings (1260 ml/min) ▪ Up to 13 hour battery life* ▪ Only 38 dB. at setting 2 ▪ Included 5-year warranty on the unit; 1-year warranty on sieve beds & battery 	<p>#1400-3000</p> <p>#1400-3000-16 system with double cell battery</p>



1400-2000

<p style="text-align: center;">OxyGo FIT™ 5.9" x 2.7" x 7.2" 2.8 lbs.</p> <ul style="list-style-type: none"> ▪ 3 Pulse Flow Settings (630 ml/min) ▪ Up to 5 hour battery life* ▪ Only 40 dB. at setting 2 ▪ Included 3-year warranty on the unit; 1-year warranty on sieve beds & battery 	<p>#1400-2000</p> <p>#1400-2000-8 system with double cell battery</p>
--	---

* Double cell battery, setting 1. ** Available on OxyGo FIT POCs produced after 2/19 and OxyGo NEXT.

OxyGo Accessories

Product Name and Description	OxyGo NEXT Part Number	OxyGo FIT Part Number
Single Lithium-Ion Rechargeable Battery	#1400-3010-8	#1400-2010-4
Double Lithium-Ion Rechargeable Battery	#1400-3010-16	#1400-2010-8
External / Desktop Battery Charger	#1400-3030	#1400-2030
Home / Office AC Power Supply	#1400-3040	#1400-2040
Carrying Bag / Case	#1170-3410	#1170-2410
Slim Backpack	#1170-3441	#1170-2440



1400-5100

OxyGo SOCs

Product Name and Description	Part # / Options
<p style="text-align: center;">OxyHome® Stationary Concentrator</p> <p style="text-align: center;">13.4" x 11.8" x 25.6" 41.8 lbs.</p> <ul style="list-style-type: none"> ■ Auxiliary Oxygen Port - Compatible with industry standard home fill units ■ Simplified User Control Panel ■ Compatible with External Pediatric Flow Meters ■ New Push-Style Power Button ■ Quiet Operation and Small Footprint ■ Alarm Indicators: No Flow, Low Pressure, Purity, Power ■ Twin Blower Cooling Design ■ Contemporary Design ■ 3-Year Replacement Warranty 	<p>#1400-5100</p>

<p>Flow 0 - 5 LPM</p>
<p>Oxygen Concentration 93% (+3%, -3%)</p>
<p>Oxygen Output Pressure 8 (+2, -2) psi</p>
<p>Rated Voltage/Frequency 120 VAC ±10% 60Hz</p>
<p>Power Consumption 350 Watts</p>
<p>Sound ≤ 45 dB(A)</p>
<p>Dimensions 13.4" W x 11.8" D x 25.6" H 34 cm x 30 cm x 65 cm</p>
<p>Weight 41.8 lbs (19 kg)</p>

OxyHome Replacement Parts

Product Name and Description	Part # / Options
User Manual	#1170-5400
Foam Cabinet Filter (10 pack)	#1170-5401
HEPA / Compressor Inlet Filter	#1170-5402
Bacteria Filter	#1170-5403
Locking Wheel Kit (4 pack)	#1170-5404
Flow Control Knob	#1170-5405



◀ OxygenPac

SoftPac ▶



◀ O2 Mini



Start System

LIFE Corporation Emergency Oxygen

Product Name and Description Part # / Options

LIFE® OxygenPac

9" x 6½" x 20" 18 lbs.

- Easy-to-use, portable, wall-mounted emergency oxygen for OnSite first-aid and safety programs.
- 90 minute supply @ 6 Liters per minute. Comes fully filled and easily refillable/disposable.
- Features LIFE® CPR mask with one-way valve, universally fits both adult and child.

#LIFE-612
6 LPM (NORM) and 12 LPM (HIGH)

#LIFE-025
0-25 LPM - variable flow
12 liter-flow settings

#LIFE-6FF
6 LPM Fixed-Flow

#LIFE-101
Replacement Cylinder
M20, 566L

LIFE® SoftPac

4½" x 8" x 15" 6 lbs.

- Lightweight, portable companion for AED. Provides emergency oxygen to a breathing victim.
- 40 minute supply @ 6 Liters per minute. Comes fully filled and easily refillable/disposable.
- Features LIFE® CPR mask with one-way valve, universally fits both adult and child.

#LIFE-2-612
6 LPM (NORM) and 12 LPM (HIGH)

#LIFE-2-025
0-25 LPM - variable flow
12 liter-flow settings

#LIFE-2-6FF
6 LPM Fixed-Flow

#LIFE-2-101
Replacement Cylinder
M9, 250L

LIFE® O2 Mini

4" x 6" x 12" 5 lbs.

- Perfect for school nurses offices, dentists, or any place where an accident could occur. Provides 15 minutes of life saving oxygen.

#LIFE-O2-MINI

LIFE® StartSystem

4" x 13" x 13" 6 lbs. (without AED)

- StartSystem emergency oxygen unit. Works with standard AEDs for workplace first-aid and first responders.
- 15+ minute supply @ 6 Liters per minute. Comes fully filled and easily refillable/disposable.
- Features LIFE® CPR mask with one-way valve, universally fits both adult and child.

#LIFE-O2-LSS
Case, 6 and 12 LPM (NORM and HIGH) regulator, cylinder/valve/gauge, O2 fill, tubing mask

#LIFE-O2-101
Replacement Cylinder
M4, 113L

LIFE Corporation Oxygen Masks and Tubing

CPR Mask - For Adults & Children

#LIFE-100

CPR Mask with Strap - For Adults & Children

#LIFE-102

7ft. Crimp-Proof Oxygen Hose

#LIFE-HOSE

LEARN MORE:
lifecorporation.com

Marquard Ventures, LLC
2200 Principal Row
Orlando, Florida 32837
U.S.A.

© Marquard Ventures, LLC

Please forward to your compliance officer and/or purchasing agent.



PRODUCT GUIDE

10TH EDITION

applied-inc.com

