



PRODUCT

10[™] EDITION

applied-inc.com

TRANSFILL

REQUIRED TRAINING

CARTS & RACKS

REGULATORS

CONCENTRATORS



Table of Contents

Using Oxygen	03	Cleaning	25
Regulators & Conservers		Maintenance Chemicals	
Cylinders			
Liter Meters			
Cylinder Bags & Boxes			
		Training & Registration	26
		Training	
Storing & Transporting	06	FDA Registration & Reporting	
Rattle-Less Carts & Racks			
Layered Van Racks			
Lockable Lid Cylinder Racks		OxySafe2	28
Layered Cylinder Carts			
M6 Racks & Carts			
D/E Racks, Carts & Stands		Portable Concentrators	29
Large Sized & Liquid Carts			
Filling Oxygen	13	Stationary Concentrators	30
Transfill Systems			
Mobile Fill Racks		Emergency Oxygen	31
Oxygen Analyzers			
Spec Gases & Regulators			
Vacuum Pumps & Accessories			
System Replacement Parts			
Gauges & Thermometers			
Pigtails			
Labels, Label Guns & Lot Stickers			
Valve Seals, Wet Bands, Dust Caps &	Washers		
Filling Accessories			
Liquid Filling Supplies			

About Us

At Applied Home Healthcare Equipment LLC, we know what it takes to deliver oxygen safely, keep it secure, and help patients benefit from every molecule. And we know what you need to stay compliant every step along the way. Just ask.

With Applied, you'll get the selection, service, and support you need to help your patients—and manage your business successfully.



'Opportunity' is a word that does not give justice to what OxyGo/Applied and the folks that work there can do for a DME business. They help with not only oxygen equipment and supplies, but also the training and compliance required by the industry."

ST. MARY'S PHARMACY, INC.

Read more client feedback: info.applied-inc.com/testimonials



1210-0400



1109-2015



1109-2028C





1109-2040

Conservers & Regulators

Product Name and Description

ConservOx Oxygen Conserving Regulator

Small and lightweight with single control, ergonomically designed T-handle - easy-to-use. CGA 870 connection, 2-year warranty.

Mini Click Stop Regulator | CGA 540

CGA 540. Barb outlet, lightweight aluminum body with brass inner core for O2 compatibility.

Mini Click Stop Regulator | CGA 870

CGA 870. Barb outlet, lightweight aluminum body with brass inner core for O2 compatibility.

Mini Click Flex Regulator | CGA 870

CGA 870. 0-15 lpm, barb outlet. Lightweight aluminum body with brass inner core for O2 compatibility. Settings: 0, 0.5, 1, 1.5, 2, 3, 4, 5, 6, 8, 10, & 15

EMS Click Stop Regulator

0-25 lpm hose barb and power take off outlets. All brass design.

#1109-2029

Part # / Options

#1210-0400

#1109-2005 0-8 lpm

#1109-2015 0-15 lpm

#1109-2028 0-8 lpm

#1109-2028C

0-8 lpm, Custom Etched

0-15 lpm

#1109-2029C


0-15 lpm, Custom Etched

#1109-2040

0-25 lpm, CGA 870

#1109-2042

0-25 lpm, CGA 540



Description Part No. Height* (in) Valve Quantity (units) Diameter (in) Capacity (L) Toggle Gauge M4 3000 3.2 8.5 113 CGA-870 No No 144 M4 3000T 3.2 8.5 113 CGA-870 144 Yes No M6 3001 3.2 11.5 165 CGA-870 144 No No M6 3001T 3.2 11.5 165 CGA-870 Yes No 144 ML6 3004 4.3 7.6 165 CGA-870 81 No No ML6 3004T CGA-870 4.3 7.6 165 Yes No 81 3005 C / M9 4.3 11 255 CGA-870 No No 144 C / M9 3005T 4.3 11 255 CGA-870 Yes No 144 C / M9 3005TS 4.3 255 CGA-870 144 11 Yes No C / M9 3005T-PK 4.3 11 255 CGA-870 6 No No 3007 4.3 198 CGA-870 M7 9.1 81 No No D 3009 16.5 425 CGA-870 No 4.3 No 81 4.3 D 3009T 16.5 425 CGA-870 81 Yes No D 3009TS 4.3 16.5 CGA-870 425 Yes 81 No D 3009T-PK 4.3 16.5 425 CGA-870 6 Yes No CGA-870 Ε 3013 4.3 25.5 680 No No 81 Ε 3013S 25.5 680 CGA-870 4.3 No No 81 Ε 3013T 4.3 25.5 680 CGA-870 81 Yes No Е 3013TS 4.3 25.5 680 CGA-870 Yes No 81 Ε 3013T-PK 4.3 25.5 680 CGA-870 6 Yes No M122 3017 8 36 3455 CGA-540 No No 25 M90 3018 7.3 32.7 2549 CGA-540 No No 25 M150 3019 8 47.2 4248 CGA-540 No No 25

^{*} Height to bottom of post valve

Cylinder Replacement Parts	
Product Name and Description	Part # / Options
Screw Type Toggle - For CGA-870 Post Valve, sold in bags of 10 with screws.	#1109-5551
Replacement Screw - For Post Valve Toggle, Bag of 10.	#1109-5550-1
Pin Type Toggle - For CGA-870 Post Valve, sold in bags of 10 with pins.	#1109-5552
Post Valve with Toggle For Aluminum Cylinders, Inlet 3/4"-16 Straight Threads, Outlet Oxygen CGA 870. Includes Teflon O-ring.	#1109-5559

Additional Replacement Parts Available Online: applied-inc.com



1109-2210

Liter Meters	
Product Name and Description	Part # / Options
Liter Meter Small, lightweight device that can be used to quickly verify	#1109-2210 1-8 lpm
the flow of gas.	#1109-2215 2-15 lpm



Cylinder Bags	
Product Name and Description	Part # / Options
M6/B 3-in-1 Cylinder Bag	#1170-0010
Cylinder can be carried horizontally, vertically or as backpack. Features clear window to easily see regulators.	
M6/M9 Cylinder Bag	#1170-0020
Premium Stylish Cylinder Backpack with convenient zippered accessory pouch. Features padded back, backpack straps and comfort carry handle.	
M6 Cylinder Tote	#1170-0040
Holds 8 cylinders. Meets requirement for safe cylinder	



Cylinder Boxes	
Product Name and Description	Part # / Options
M6 Cylinder Box	#1170-0154-1
Carries 6 cylinders. One case of 10 boxes.	
C Cylinder Box	#1170-0156-1
Carries 4 cylinders. One case of 10 boxes.	
E Cylinder Box	#1170-0158-1
Carries 4 cylinders. One case of 10 boxes.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

handling required by CGA P-2.

Specialized, **rattle-less coating** allows for secure fit with significantly reduced noise, keeping delivery drivers and drivers happy.



Cylinder Size Guide	
Cylinder Type	Approx. Diameter
M4, M6, B, M	3.2"
M7, M9, C, D, E, M	4.3"
Jumbo D	5.3"
M, M60, H, J, T	7.0" – 9.5"

Rattle-Less Carts & Racks	P-1// (0.1)
Product Name and Description M6 Racks	Part # / Options
6 M6 Rattle-Less Cylinder Rack	#1100-1432
Holds 6 M6 cylinders. 8.25"H x 7.625"W x 11.5"L	
8 M6 Rattle-Less Cylinder Rack	#1100-1433
Holds 8 M6 cylinders. 8.625"H x 8"W x 15.5"L	
12 M6 Rattle-Less Cylinder Rack	#1100-1437
Holds 12 M6 cylinders. 8.25"H x 11.5"W x 19.5"L	
24 M6 Rattle-Less Cylinder Rack	#1100-1434
Holds 24 M6 cylinders. 8.375"H x 12"W x 31"L	
D/E Racks	
6 D/E Rattle-Less Cylinder Rack	#1100-1436
Holds 6 D/E cylinders. 8.375"H x 10"W x 15"L	
12 D/E Rattle-Less Cylinder Rack	#1100-1420
Holds 12 D/E cylinders. 8.25"H x 14.5"W x 19.5"L	
24 D/E Rattle-Less Cylinder Rack	#1100-1458
Holds 24 D/E cylinders. 8.25"H x 14.5"W x 39"L	
M6 Carts	
6 M6 Rattle-Less Cylinder Cart	#1100-1424
Holds 6 M6 cylinders. 39.5"H x 13"D x 12.063"W	
12 M6 Rattle-Less Cylinder Cart	#1100-1425
Holds 12 M6 cylinders. 36.75"H x 15.5"W x 19"L	
24 M6 Rattle-Less Cylinder Cart	#1100-1427
Holds 24 M6 cylinders. 36.75"H x 32"D x 15.5"W	
D/E Carts	
6 D/E Rattle-Less Cylinder Cart	#1100-1423
Holds 6 D/E cylinders. 39.5"H x 16.5"L x 13.75"W	
12 D/E Rattle-Less Cylinder Cart	#1100-1426
Holds 12 D/E cylinders. 36.75"H x 20.25"W x 22"D	
24 D/E Rattle-Less Cylinder Cart	#1100-1487
Holds 24 D/E cylinders. 36.75"H x 32"D x 15.5"W	











Product Name and Description	Part # / Optior
Layered Van Racks	
50 Cylinders - Horizontal Storage - C, D, E Holds 50 C, D, E cylinders. 31"D x 27.5"W x 72"H	#1100-1612
50 Cylinders - Horizontal Storage - C, D, E Holds 50 C, D, E cylinders w/casters. 32"D x 28"W x 73"H	#1100-1613
35 Cylinders - Lockable Door - D, E Holds 35 D/E cylinders. 46"H x 28"W x 32.5"D	#1100-1711
Lockable Door - Multiple Sizes - D, E, M6 Holds 6 D/E cylinders + 8 M6 cylinders. 32.5"D x 17.5"W x 24"H	#1100-1791
Lockable Door - Multiple Sizes - D, E, C, M6 Holds 12 D/E/C and 8 M6 cylinders. 36"H x 32.5"D x 17.5"W	#1100-1792
Lockable Door - Multiple Sizes - D, E, M6 Holds 12 D/E and 4 M6 cylinders. 31.25"H x 32.25"D x 17.5"W	#1100-1793
Lockable Door - Multiple Sizes - D, E, M6 Holds 12 D/E and 16 M6 cylinders. 32.5"H x 17.5"D x 44.25"W	#1100-1794
25 Cylinders - Lockable Door - D, E Holds 25 D/E cylinders. 33"H x 28"W x 32.5"D	#1100-1797
50 Cylinders - Lockable Door - E Holds 50 E cylinders. 32.5"D x 28"W x 62"H	#1100-1798
Multiple Sizes - D, E, M6 Holds 15 D/E and 8 M6 cylinders. 32.5"D x 17.5"W x 41.625"H	#1100-1799
Multiple Sizes - D, E, M6 Holds 25 D/E and 28 M6 cylinders. 32.5"D x 28"W x 51"H	#1100-1778
Lockable Lid Cylinder Racks	
4 E Cylinder Rack - Lockable Lid Holds 4 E cylinders. 35"H x 10.5"D x 12.5"W	#1100-1721
6 E Cylinder Rack - Lockable Lid Holds 6 E cylinders. 35"H x 12"D x 15"W	#1100-1860
24 E Cylinder Rack - Lockable Lid Holds 24 E cylinders. 35"H x 20"D x 32"W	#1100-1725
Layered Cylinder Carts	
98 Cylinders - Multiple Sizes - M4, M6, B Holds 98 M4, M6 and B cylinders. 65.75"H x 31.5"D x 27.25"W	#1100-1602
196 Cylinders - Multiple Sizes - M4, M6, B Holds 196 M4, M6 and B cylinders. 65.75"H x 31.5"D x 27.25"W	#1100-1604
Transport Cart - Multiple Sizes - D, E	#1100-1765



M6 Cylinder Storage Solutions	
Product Name and Description	Part # / Options
4 M6 Cylinder Rack 8.25"H x 7.625"W x 7.625"L	#1100-1931
6 M6 Cylinder Rack 8.25"H x 7.625"W x 11.5"L	#1100-1932
8 M6 Cylinder Rack 8.25"H x 7.625"W x 15.5"L	#1100-1933
12 M6 Cylinder Rack 8.25"H x 19.5"D x 11.5"W	#1100-1937
24 M6 Cylinder Rack 8.25"H x 11.5"W x 30.625"L	#1100-1934
40 M6 Cylinder Rack 8.25"H x 38.5"D x 14.25"W	#1100-1938
60 M6 Cylinder Rack 8.25"H x 49"D x 29.5"W	#1100-1939
6 M6 Vertical Cylinder Rack With hold down bars and feet. 19.5"H x 10"D x 12"L	#1100-1853
12 M6 Vertical Cylinder Rack With hold down bars and feet. 19.5"H x 12"D x 18"W	#1100-1856
30 M6 Vertical Cylinder Rack With hold down bars and feet. 16"H x 23"D x 19"W	#1100-1854
60 M6 Vertical Cylinder Rack With hold down bars and feet. 16"H x 39"D x 23"W	#1100-1855



Cylinder Size Guide	
Cylinder Type	Approx. Diameter
M4, M6, B, M	3.2"
M7, M9, C, D, E, M	4.3"
Jumbo D	5.3"
M, M60, H, J, T	7.0" – 9.5"







Product Name and Description Part # / Options

1 M6 Cylinder Cart

41"H x 10"D x 12"W

#1100-1810

30 M6 Cylinder Cart

40"H x 23"D x 19"W

#1100-1844

60 M6 Cylinder Cart

Medium duty with four wheels. 40"H x 39"D x 23"W

#1100-1846

4 M6 Cylinder Cart

39.5"H

#1100-1922

6 M6 Cylinder Cart

39.5"H

#1100-1924

12 M6 Cylinder Cart

36.75"H x 16.5"W x 19"D

#1100-1925

24 M6 Cylinder Cart

36.75"H x 32"D x 15.5"W

#1100-1927

6 Cylinder Cart - M7, M9, C, D, E


With 2 casters and 2 wheels. 42"H x 15"D x 18"W

#1100-1857





Cylinder Size Guide		
Cylinder Type	Approx. Diameter	
M4, M6, B, M	3.2"	
M7, M9, C, D, E, M	4.3"	
Jumbo D	5.3"	
M, M60, H, J, T	7.0" – 9.5"	



Product Name and Description	Part # / Options
1 D/E/C Cylinder Cart - Adjustable Handle Sold in packs of 6. 11.68"W x 10.5"D x 38.5-43"H	#1100-1911
MRI Non-Magnetic Aluminum D/E Cylinder Cart* Holds 1 cylinder. 38.5"W x 43"H	#1100-1913
2 D/E Cylinder Cart 41"H x 10"D x 41"W	#1100-1804
2 D/E Cylinder Cart 38.5"H x 11"D x 13.75"W	#1100-1912
4 D/E Cylinder Cart 39.5"H	#1100-1921
4 D/E Cylinder Cart - 2 Wheels, 2 Legs 42"H x 10"D x 18"W	#1100-1840
6 D/E Cylinder Cart - 2 Wheels, 2 Legs 42"H x 15"D x 18"W	#1100-1841
6 D/E Cylinder Cart 39.5"H x 13.75"W	#1100-1923
12 D/E Cylinder Cart 36.75"H x 20"W x 22"L	#1100-1926
12 D/E Cylinder Cart - 2 Wheels, 2 Legs 42"H x 20"D x 22"W	#1100-1872
12 D/E Cylinder Cart - 2 Wheels, 2 Casters 42"H x 20"D x 22"W	#1100-1873
24 D/E Cylinder Cart - 4 Casters 42"H x 30"D x 20"W	#1100-1874
24 D/E Cylinder Cart - 4, 6" Casters 45"H x 31.5"D x 21.5"W	#1100-1885
24 D/E Cylinder Cart - 6, 6" Casters 45"H x 46.5"D x 25.25"W	#1100-1886

 $^{^{\}star}$ For use outside the bore of an MR machine under the following conditions: Static magnetic field of 3.0 Tesla or less; Spatial gradient field of .3 Tesla/meter or less.





Product Name and Description Part # / Options

1 M60/M Cylinder Cart - Cannula Hook

40"H x 13"W x 12"D

#1100-1812

1 M Cylinder Stand - 8" Diameter

6"H x 14"D x 14"W

#1100-1814

1 M60 Cylinder Stand - 7" Diameter

6"H x 14"D x 14"W

#1100-1815

1 M60 Cylinder Cart - Dolly Style Handles

46"H x 15"D x 15"W

#1100-1819

1 Large Liquid Cylinder Cart

With pneumatic wheels and rear swivel casters. 46"H x 28"W

#1100-1820

1 H/T Cylinder Cart - Dolly Style Handle

With solid rubber wheels and swivel casters. 46"H x 15"D x 15"W

#1100-1822

2 H/T Cylinder Cart

46"H x 28"D x 25"W

#1100-1829





Cylinder Size Guide		
Cylinder Type Approx. Diamete		
M4, M6, B, M	3.2"	
M7, M9, C, D, E, M	4.3"	
Jumbo D	5.3"	
M, M60, H, J, T	7.0" – 9.5"	





▲ OF-510



◀ HME-0003

Transfill Systems	
Product Name and Description	Part # / Options
OxyFill Liquid to Gas Oxygen Refilling System Fills up to 66 oxygen cylinders per hour. Quiet operation, turnkey setup and easy maintenance.	#OF-7000
Rebuilt OxyFill Liquid to Gas System Machine that has been rebuilt to the equivalent of new.	#OF-700R
OxyFill Base Refilling System Fills 5 small cylinders from six "H" cylinders. Includes mounting hardware, connections, and pigtails.	#OF-510
OxySupply Base: 6 Cylinder Supply Fills from 6 supply cylinders. Recommend for those who use 60 or less cylinders per week.	#OF-586
OxySupply Base: 8 Cylinder Supply Fills from 8 supply cylinders. Recommend for those who use 80 or less cylinders per week.	#OF-588

Mobile Fill Racks	
12 Cylinder Mobile Fill Rack Increases system filling capacity by 12 cylinders. With easy hand tightening knobs, pigtail, and industrial swivel casters.	#HME-0003
20 Cylinder Mobile Fill Rack Increases system filling capacity by 20 cylinders. With easy hand tightening knobs, pigtail, and industrial swivel casters.	#HME-0002
20 Place Mobile Filling Rack With CGA-870 quick connectors.	#HME-0002-QC
12 Place Mobile Filling Rack With CGA-870 quick connectors.	#HME-0003-QC

Quick Connectors

High Speed OxyFill Quick Connector

Works with all CGA-870 post valves, 1/2" NPT male inlet for use on oxygen manifolds. (Not available in 1/4" NPT).

#1109-9932-1

Applied's Worry-Free Transfilling

- Complete, documented installation and training on-site. Plus FDA registration, procedure manual template and required form training.
- We hold your hand throughout the entire process—to minimize worry and keep you compliant!

Download a FREE Cost-Savings Worksheet

applied-inc.com/cost-savings





Instant Gas Refill Program

Scan the QR code or visit: **bit.ly/instant-gas**





Oxygen Analyzers	
Product Name and Description	Part # / Options
Servomex 5230 Model 3 For use with oxygen strength measurement (+-0.1%). Includes power adapter. Compliant with and required by FDA Guidelines.	#OF-941
Servomex Oxygen Analyzer Loaner Rental Keep filling while your unit is in for annual maintenance.	#OF-935
Servomex A+ Check Annual maintenance includes calibration testing and certificate.	#OF-936
Power Supply For Servomex 575, 5200, and O2 analyzer.	#OF-575PS
Replacement Filter For Servomex 570, 572, 575, and 5200.	#OF-903
Servomex Drying Tube	#OF-906

Handheld Analyzers

OxyStat O2 Analyzer

Handheld analyzer, measures 0.5 to 100% concentration with 2% accuracy. Calibrates to room air or oxygen source. AA batteries included with tubing.

#OF-990OxyStat Analyzer

#OF-991Replacement Sensor

Spec Gases & Regulators	
Oxygen Calibration Gas CGA 540 Aluminum E Cylinder. See Instant Gas Order Form online.	#SG-100-1
Nitrogen Calibration Gas - (0/Low) for Servomex CGA 580 Aluminum E Cylinder. See Instant Gas Order Form online.	#SG-200
Nitrogen Purging Gas - (Comparable to Nitrogen NF) CGA 580 Aluminum E Cylinder. See Instant Gas Order Form online.	#SG-300-1
Nitrogen Calibration Regulator CGA 580. Inlet max 3,000 psig; Outlet: Adjustable, max 10 psig.	#1108-0004
Oxygen Calibration Regulator CGA 540. Inlet: max 3,000 psig; Outlet: Adjustable, max 10 psig.	#1108-3113
Calibration / Air Regulator Adjustable 2 to 10 psig, with metering orifice. CGA 346.	#1108-3114





1120-0181-1

1109-1010



SEE IF TRANSFILLING IS RIGHT FOR YOUR BUSINESS.

If you answer "yes" to any of the following, then transfilling could save you a significant amount of money and headaches!

- I want to save money.
- I'm using a significant number of cylinders and costs just keep going up.
- My supplier is constantly adding fees, losing my cylinders, and running out of cylinders when I need them.
- My business and volume is increasing.

Gas to Gas Replacement Parts	
Product Name and Description	Part # / Options
Check Valve Spud CV Spud for Supply Manifold. 1/2" MNPT x CGA 540.	#1120-0181-1
CGA 540 Connection T Made of brass with a CGA 540 Female Inlet and two CGA 540 Male Outlets, with 3,000 psi working pressure. 2.75" x 2.75".	#1109-1010
Supply Side Addition Adds one supply side station. Includes mounting hardware, manifold, stainless steel pigtail.	#OF-503
High Pressure Control Regulator Oxygen Service. 3,000 psig, 1/4" MNPT inlet. 2,500 psig, 1/4" MNPT	#1110-1454

outlet. 2 Gauges and calibration certificates.

Vacuum Pumps & Accessories	
Felt Filter for Super Duty Vacuum Pump	#1108-0008
Muffler for Super Duty Vacuum Pump - 1/4"	#1108-0009
End Cap Assembly for Super Duty Vacuum Pump	#1108-0010
Super Duty Vacuum Pump Includes 3 prong/15 amp plug and on/off control. One unit w/plug.	#1108-0013
Vacuum Regulator with High Pressure Inlet 1/4" NPT outlet with relief valve and certified vacuum gauge.	#1110-0423-1
Vacuum Pump Service Kit Includes: 4 Carbon Vanes, 2 Felt Filters, 2 O-rings, and 1 Gasket Rebuild Kit for OF-7000 or HP-40 Liquid to Gas systems.	#OF-722

Applied's Worry-Free Transfilling

- Complete, documented installation and training on-site. Plus FDA registration, procedure manual template and required form training.
- ✓ We hold your hand throughout the entire process—to minimize worry and keep you compliant!

Download a FREE

<u>Cost-Savings</u> Worksheet

applied-inc.com/cost-savings



OF-720



OF-734



OF-735



OF-751



OF-756



OF-803

Additional Filling Tips
Available Online
applied-inc.com/i-fill-oxygen

Liquid to Gas Replacement Parts	
Product Name and Description	Part # / Options
Super Duty Vacuum Pump For OF-7000 / HP-40 systems.	#OF-720
3-Way Ball Valve - 1/4" NPT, Female For OF-720 vacuum pump on OF-7000 or HP-40 system.	#OF-721
Vent Valve - OF-7000 or HP-40 Inlet 1/4" NPT Male. Outlet 1/4" NPT Female.	#OF-734
Cryogenic Valve - OF-7000 or HP-40 3/8" NPT Female by 3/8" NPT Female.	#OF-735
Clevis for Stainless Steel Roller For OF-700, OF-700R, OF-7000, HP-40. OF-737 & OF-745.	#OF-736
Replacement Clevis Roller For OF-700, OF-700R, OF-7000, HP-40.	#OF-737
Pump O Ring Seals For OF-700, OF-700R, OF-7000, HP-40.	#OF-738
Vacuum Pump Filters - for OF-720 Vacuum Pump 3/8" NPT Muffler. For OF-700, OF-700R, OF-7000, HP-40.	#OF-742
Vacuum Pump Muffler 3/8" NPT Muffler. For OF-700, OF-700R, OF-7000, HP-40.	#OF-743
Side Roller 1" outer diameter. For OF-700, OF-700R, OF-7000, HP-40.	#OF-745
Pressure Building Regulator For OF-700, OF-700R, OF-7000, HP-40.	#OF-747
Pressure Switch - 1600 psi For let side of OF-700, OF-700R, OF-7000, HP-40.	#OF-750
Top Pump Seal For OF-700, OF-700R, OF-7000, HP-40.	#OF-751
Top Seal, Nut and Clip For Liquid System SN #239 and newer.	#OF-756
Liquid Level Gauge For OF-700, OF-700R, OF-7000, HP-40.	#OF-760
Condensation Purge Kit Reduced ice build up and keeps system working better, longer.	#OF-803







◀ 1108-0016G



1108-0017 ▶



1120-0057C ▶

◀ 1110-0420C



Gauges & Thermometers	
Product Name and Description	Part # / Options
Test Gauge for High Pressure Oxygen	#1108-0016
To 4,000 psig. CGA 870 yoke connection.	
Replacement High Pressure Gauge	#1108-0016G
0 - 5,000 psi. Inlet 1/4" NPT Male, Bottom Port, 4".	
Low Proceure Test Course	#1108-0017
Low Pressure Test Gauge 0 - 60 psi. 9/16" inlet connection.	#1106-0017
	<u> </u>
Low Pressure Test Gauge	#1108-0018
0 - 30 psig. 9/16" inlet connection. Includes NIST certification.	
PSI Certified Test Gauge	#1108-0023
0 - 100 psi. 9/16" swivel female inlet connection.	
Digital Thermometer for Transfilling	#1108-0115-1C
Certified to NIST standards.	
Infrared Ordinder Thermonyster, Oolikusted	#1100 01100
Infrared Cylinder Thermometer - Calibrated Certified to NIST standards. Includes conversion chart and batteries.	#1108-0119C
High Pressure Gauge - Calibrated	#1120-0057C
2.5" gauge face. 0 - 4,000 psig. Inlet 1/4" NPT male. NIST certified.	
Vacuum Gauge - Calibrated	#1110-0420C
2" gauge face. 0 - 30" Hg. 1/4" NPT inlet bottom port. NIST certified.	
High Pressure Gauge	#1120-0166
2" gauge face. 4,000 psig. Bottom port, 1/4" NPT brass post.	"1123 0103
Low Pressure Gauge	#1120-0167

Additional Filling Tips Available Online: applied-inc.com/i-fill-oxygen

2" gauge face. 0 - 100 psi. Inlet 1/4" NPT male. Bottom port, 2".







1110-0503

1110-0518





1110-0501H

1110-0506H



1110-0508








1110-0601

Pigtails	
Product Name and Description	Part # / Options
Stainless Steel Supply Side Pigtail No Check Valve	#1110-0501
Stainless Steel Pigtail - PTFE Lined, 36"	#1110-0501H
Stainless Steel Supply Side Pigtail No Check Valve, 24"	#1110-0503
Stainless Steel Supply Side Pigtail for O2 No Check Valve, 24"	#1110-0503H
Stainless Steel Supply Side Pigtail for O2 - PTFE Lined	#1110-0504
Stainless Steel Braided Pigtail - PTFE Lined, 36"	#1110-0506
Stainless Steel Braided Pigtail - PTFE Lined, 36"	#1110-0506H
Stainless Steel Filling Pigtail - 24"	#1110-0508
Stainless Steel Filling Pigtail - 48"	#1110-0600
Stainless Steel Supply Side Pigtail for O2 No Check Valve, 48"	#1110-0601
Stainless Steel Braided Pigtail - PTFE Lined, 48"	#1110-0601H
Stainless Steel Pigtail - PTFE Lined, 36"	#1110-0518
Stainless Steel Pigtail for O2 - PTFE Lined, 48"	#1110-0519

Additional Filling Tips Available Online: applied-inc.com/i-fill-oxygen







1109-0002A

| The state of the

Cylinder Labels	
Product Name and Description	Part # / Options
Custom Oxygen Compressed Drug Label Regulatory compliant. 1,000 label minimum order.	#1109-0006-2023
Blank Pack of Compressed Oxygen Product Labels Regulatory compliant. Stamp info with water-resistant ink. Pack of 100.	#1109-0005-2023
Custom Oxygen Compressed Shoulder Label 1,000 label minimum.	#1109-2026
Liquid Labels	
Custom Refrigerated Liquid Oxygen Product Labels Regulatory compliant. Use with cryogenic vessels. Rolls, min. 25 each.	#1109-0003-2023
Blank Refrigerated Liquid Oxygen Labels Regulatory compliant. Stamp info with water-resistant ink. Pack of 25.	#1109-0010-2023
Label Guns & Lot Stickers	
OXYMARK 4 Label Gun Prints two lines: Lot Number and Expiration Date or Contents.	#1109-0001
MONARCH Label Gun Prints two lines: Lot Number and Expiration Date or Contents.	#1109-0004
OXYMARK Stickers - Blank 750 stickers per roll.	#1109-0002
OXYMARK Stickers - Lot and Expiration Date Lot and Expiration Date. Required by 21 CFR 211.130. 750 per roll.	#1109-0002A
OXYMARK Stickers - Lot and Liter Lot and Liter. 750 per roll. Required by 21 CFR 211.130.	#1109-0002B
OXYMARK Stickers - Lot and Cubic Feet Lot and Cubic Feet. 750 per roll. Required by 21 CFR 211.130.	#1109-0002C
MONARCH Stickers - Blank Blank. 1,500 stickers per roll. For use with #1109-0004.	#1109-0008
MONARCH Stickers - Lot and Contents 1,500 stickers per roll. For use with #1109-0004.	#1109-0008A
MONARCH Stickers - Lot and Expiration Date 1,500 stickers per roll. For use with #1109-0004.	#1109-0008B
MONARCH Ink Roller For use with #1109-0004.	#1109-0001IR
OXYMARK Ink Roller For use with #1109-0001.	#1109-0002IR
Cylinder Caution Tags	
White, Attaches with Elastic String EMPTY / PART FULL / FULL. Box of 1,000.	#1109-0007









Valve Seals	
Product Name and Description	Part # / Options
OXYLOK Large Size Plastic Valve Seals - White Required by 21 CFR 211.80. Bag of 1,000. Easy patient removal.	#1109-0048
OXYLOK Mini Size Plastic Valve Seals - White Required by 21 CFR 211.80. Box of 3,000. Easy patient removal.	#1109-0053
Plastic Valve Seal - White Required by 21 CFR 211.80. Bag of 1,000. With pull tab.	#1109-0013

Wet Bands - Goes on Wet, Shrinks as it Dries	
Standard Size Cellulose Wet Bands – Bucket of 2,500	#1109-0019
Standard Size Cellulose Wet Bands – Bucket of 18,000	#1109-0020
Large Size Cellulose Wet Bands - Bucket of 1,000	#1109-0022
Large Size Cellulose Wet Bands – Bucket of 11,500	#1109-0021
Standard Size Cellulose Wet Bands - Perforated Bucket of 2,500.	#1109-0037

Dust Caps	
Green Plastic Dust Caps CGA 540. Keeps dust and dirt out of cylinder valve. Bag of 100.	#1109-0028
Blue Plastic Dust Caps CGA 540. Keeps dust and dirt out of cylinder valve. Bag of 100.	#1109-0029

Washers	
Nylon Yoke Washers Bag of 1,000. One-time use only. Do not re-use or over torque. Inner diameter = .25" Outer diameter = .58"	#1109-0068
Single-Use Tefzel Yoke Washers – Bag of 50	#1109-0070
Brass and Viton Washers Bag of 50. Reusable. Durable, safe to use in oxygen atmospheres. More fire resistant and less susceptible to decomposition.	#1109-1017

Oxygen Swivel Hose Barb

Green 9/16" Swivel Hose Barb (Christmas tree) Bag of 50.

#1100-9966





0900-0590

0900-0591









0900-0411



Single Filling Adapters

Product Name and Description Part # / Options Replacement PB(R) Fillhead #0900-0590

Double Filling Adapters

Replacement Caire(R) Fillhead #0900-0591

Replacement Cryogenic Fillheads

Single Fillhead - PB(R) #0900-0555

Double Fillhead - PB/Caire(R) #0900-0550

Filling Accessories

#0900-0531 Safety Relief "T"

Used to help prevent a rupture in a case where liquid is trapped in a hose.

Single fill adapter with pressure relief and PB(R) filling head.

CGA-440 Swivel #0900-0511

Cryogenic swivel used to eliminate hose twists and kinks when filling or making connections.

Cryogenic 90° Elbow

Used to reduce line stress and help eliminate chatter with transfer hose.

Cryo-Scale #0900-0600

Used when filling cryo-home units to measure when a container is filled.

#0900-0411 CGA 440 x CGA 440

Female connector.

Wrap Around Tape

Cryogenic Wrap Around Tape

250 feet. Cut the desired length you need. Peel-off backing.

Additional Filling Tips Online: applied-inc.com/i-fill-oxygen

#0900-0300

#1110-0110











Tape	
Product Name and Description	Part # / Options
Teflon Tape 1/2" For sealing NPT oxygen connections. Sold in rolls.	#1100-9910
Teflon Tape 1/4" For sealing NPT oxygen connections. Sold in rolls.	#1100-9911

Label Scrapers	
Plastic Label Scraper Designed to help remove labels from cylinders and liquid vessels.	#1109-0009
Razor Blade Scraper Helps remove labels from cylinders and liquid vessels.	#1109-0088
Scraper Replacement Blades Replacement blades for razor blade scraper. Pack of 5.	#1109-0089

Cylinder Paint	
Spray Can Green Cylinder Paint 16oz spray can. For touching up medical oxygen cylinders (valve must be masked).	#1109-5557
One Gallon Green Cylinder Paint One gallon. For touching up medical oxygen cylinders (valve must be masked).	#1109-5558

Cylinder Wrenches	
Plastic E Wrench Heavy duty plastic wrench for "E" size cylinders. Packs of 50.	#1109-5571
Metal Valve Wrench – CGA 870 Sold individually.	#1109-5580
Metal Valve Wrench – CGA 540 Sold individually.	#1109-5581

O2 Lubricant	
Christo-Lube Lubricant For oxygen components. Approx. 3 oz. container size.	#1100-9923
Krytox GR Lubricant For oxygen components. 2 oz. tube.	#1100-9930





1109-1014



▲ 1109-1014H









Product Name and Description	Cylinder Sizes	Part # / Options
CGA-540 Connection "T" Oxygen	H, J, K, L, T, etc.	#1109-1010
CGA-870 Chrome Plated Yoke Medical Oxygen. On pigtail, 1/4".	A, B, C, D, E, M-6	#1109-1014
CGA-870 Yoke w/Large Hand Knob Oxygen. On pigtail, 1/4".	A, B, C, D, E, M-6	#1109-1014H
CGA-870 Yoke for Manifold Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1018
CGA-870 Heavy Duty Yoke Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1038
CGA-870 Yoke w/Large Hand Knob Heavy duty. Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1018H
CGA-870 Yoke w/Large Hand Knob Oxygen. On manifold, 1/2".	A, B, C, D, E, M-6	#1109-1038F
CGA-540 Nipple Oxygen Nipple. Brass 2-1/2"	H, J, K, L, T, etc.	#1109-9914
CGA-540 Nipple, 1/4" NPT Oxygen Nipple. Brass 2-1/2"	H, J, K, L, T, etc.	#1109-9916
Large Hand Grip Yoke Screw All yokes. Brass 2-1/2"	A, B, C, D, E, M-6	#1109-9920

Additional Filling Tips Online: applied-inc.com/i-fill-oxygen

<	1109-9931-1

Medical Fittings & Connections
Product Name and Description

Cylinder Sizes Part # / Options

CGA-870 Quick Connector, 1/4" NPTOxygen. For pigtails and inverted racks.

A, B, C, D, E, M-6

#1109-9931-1



For Quick Connectors 1109-9931-1, 1109-9932-1

A, B, C, D, E, M-6

#1109-9935

CGA-540 Nipple, Large Hand Grip

Oxygen.

H, J, K, L, T, etc.

#1109-9923



CGA-540 S	oft Tip	Nipple
------------------	---------	--------

Oxygen. For use with large hand grip nut.

H, J, K, L, T, etc.

#1109-9924

CGA-580 Nitrogen Nipple

Nitrogen. Brass nipple.

H, J, K, L, T, etc.

#1109-9926



▲ 1109-9932-1 Yoke Screw, All Yokes

Oxygen.

A, B, C, D, E, M-6

A, B, C, D, E, M-6

#1109-9985

#1109-9932-1





CGA-540/870 Yoke Adapter Medical Oxygen. 1/4" NPT.

A, B, C, D, E, M-6

#1110-0514

CGA-540/870 Yoke Adapter w/Hand Knob

CGA-870 Quick Connector Yoke, 1/2" NPT

Medical Oxygen. 1/4" NPT.

A, B, C, D, E, M-6

#1110-0514H



Additional Filling Tips Online: applied-inc.com/i-fill-oxygen



1109-5520 **•** 1109-5524 1109-5521



■ 1100-0026-1 1100-0022-1 1100-0021





✓ 1109-55271109-55281109-5529

Maintenance Chemicals

Product Name and Description

Part # / Options

Leak Test Solution

One Gallon

Meets MIL-PRF-25567E specifications for oxygen compatibility.

#1109-1023-1

Label Remover

No residue, no rinse formula leaves no residue and is fast drying. Meets Mil Spec PD-680.

One Gallon	#1109-5520
120 Count Wipes	#1109-5524
32 oz. Bottle	#1109-5521

Oxygen Equipment Cleaner

Meets requirements for CGA (O2-DIR listed) oxygen cleaning solutions when used as directed, with instructions and SDS.

One Gallon	#1100-0026-1
120 Count Wipes	#1100-0022-1
32 oz. Bottle	#1100-0021

Cylinder Surface Cleaner

Leaves no residue, fast drying, no rinsing needed, biodegradable.


One Gallon	#1100-0130
120 Count Wipes	#1100-0132
32 oz. Bottle	#1100-0134

Concentrator Cleaner

Leaves no residue and fast drying. No rinsing needed. Biodegradable, USDA approved. No flashpoint. Pleasant fragrance. Made in the USA.

One Gallon	#1109-5527
120 Count Wipes	#1109-5528
32 oz. Spray Bottle	#1109-5529





Training Product Name and Description Part # / Options **Live Stream Training #OF-STREAM** FDA, DOT and Accreditiation Seminar - Live Stream Our popular full day seminar hosted as a live stream to your computer. Covers everything you need to meet oxygen training requirements! Approved for 5.75 CRCE. **On-Demand Training** #OF-1005 OD FDA, DOT and Accreditiation Seminar - On-Demand Our popular full day seminar on-demand. Covers everything you need to meet oxygen training requirements. Does not include CEUs. #OF-5000F Filling On-Demand - 12 Month Subscription **OD SUB** Includes anytime access to online classes: Filling 101, Oxygen 101, Liquid 101, and Servomex 5200 Operators Course. #OF-5000D **Delivery On-Demand - 12 Month Subscription OD SUB** Includes anytime access to online classes: Delivery 101, Oxygen 101, and HazMat Security Awareness. Gas-to-Gas On-Demand Video Training - Subscription #OF-1500 Video training for safely refilling your cylinders, step by step, and **OD SUB** complying with FDA standards. #OF-1550 Liquid-to-Gas On-Demand Video Training - Subscription **OD SUB** Learn the basics in safely refilling your cylinders, and complying with FDA standards. OF-7000 or HP-40 System. #OF-111 OD Filling 101 On-Demand Class Covers the FDA required pre-fill, fill and post-fill steps when filling liquid- to-gas or gas-to-gas. One time view. Filling 101 On-Demand Class - Subscription #OF-111 **OD SUB** Covers the FDA required pre-fill, fill and post-fill steps when filling liquid- to-gas or gas-to-gas. 12 months. Unlimited views. #OF-112 OD **Delivery 101 On-Demand Class** Covers the basics of delivering oxygen: vehicle requirements, shipping papers and driver training requirements. One time view. #OF-112 **Delivery 101 On-Demand Class - Subscription**

Unlimited views.

Covers the basics of delivering oxygen: vehicle requirements, shipping papers and driver training requirements. 12 months.

OD SUB

Did You Know? ¬

The FDA requires training on a "frequent and continuing basis," usually interpreted to be about twice a year.


- ▼ The Quality Control Unit, and all Oxygen Transfilling Personnel should have proper FDA training for their jobs.
- Drivers need training as a requirement for FDA if they fill from a transfill system or if they fill liquid to liquid curbside.
- The DOT requires drivers to have training "at least every 3 years, and within 90 days of employment for new employees."

WE CAN HELP YOUR TEAM STAY COMPLIANT!



Training	
Product Name and Description	Part # / Options
On-Demand Training	
HazMat Security Awareness On-Demand Class Learn potential targets, potential threats and prevention tools to keep you and your hazardous materials safe. One time view.	#OF-113 OD
HazMat Security Awareness On-Demand - Subscription Learn potential targets, potential threats and prevention tools to keep you and your hazardous materials safe. 12-months. Unlimited views.	#OF-113 OD SUB
Oxygen 101 On-Demand Class Covers the hazards of oxygen, including oxygen safety demos and the details on safe handling of oxygen. One time view.	#OF-114 OD
Oxygen 101 On-Demand Class - Subscription Covers the hazards of oxygen, including oxygen safety demos and the details on safe handling of oxygen. 12-months. Unlimited views.	#OF-114 OD SUB
Servomex 5200 On-Demand Class How to calibrate, operate, and maintain, plus required documentation including regulatory requirements. One time view.	#OF-115 OD
Servomex 5200 On-Demand Class - Subscription How to calibrate, operate, and maintain, plus required documentation including regulatory requirements. 12-months. Unlimited views.	#OF-115 OD SUB
Liquid 101 On-Demand Class FDA required pre-fill, fill & post-fill steps when filling liquid to liquid at your place of business or curbside. One time view.	#OF-116 OD
Liquid 101 On-Demand Class - Subscription FDA required pre-fill, fill & post-fill steps when filling liquid to liquid at your place of business or curbside. 12-months. Unlimited views.	#OF-116 OD SUB
SOPs Policy and Procedure - Subscription Downloadable Word documents that can be used as a template to create your firm's SOPs. Download access valid for 1 year.	#OQ-220
FDA Registration	
FDA Electronic Registration for Transfillers Establishment registration and one drug listing for oxygen if needed. Re-registration reminder. Processed between 10/1-12/31.	#OF-101
Annual FDA Renewal for Transfillers One time FDA Electronic Registration Renewal submitted between 10/1-12/31. Expires the next calendar year on 12/31.	#OF-105
Annual FDA Drug Reporting FDA reporting for oxygen filled at one registered location. Due annually for the previous year.	#OF-107

Patient Set-Up



Use OxySafe2's special tubing to place OxySafe2 as close to the patient and as close to the oxygen supply as possible.

We recommend the **OxySafe2 Complete Patient Kit** (#1109-2522).

Kit includes two OxySafe2 (#1109-2221), one 2" tubing connector (#1109-2014), and one 2" nasal cannula (#1109-2023).




OxySafe2 [™]	
Product Name and Description	Part # / Options
OxySafe2 Nasal Cannula Kit Includes OxySafe2 with hose barb connections and high quality 2" nasal cannula. Sold in bags of 25.	#1109-2520
OxySafe2 Concentrator & Regulator Kit Includes OxySafe2 with hose barb connections and 2" tubing connector with female trumpet ends. Sold in bags of 25.	#1109-2517
OxySafe2 Complete Patient Kit Includes two OxySafe2, one 2" tubing connector (1109-2017) and one 2" nasal cannula (1109-2020).	#1109-2522
OxySafe2 Nasal Cannula - Bag of 100	#1109-2023
2" Tubing Connector - Bag of 100	#1109-2014
Replacement OxySafe2 - Box of 100	#1109-2221

Concentrator / Regulator Set-Up

We recommend the OxySafe2 Concentrator & Regulator Kit (#1109-2517).

Kit includes OxySafe2 (#1109-2221) with hose barb connections and 2" tubing connector with female trumpet ends (#1109-2014).



OxySafe2[™] Parts

OxySafe2 Replacement

1109-2221



OxySafe2 2" Tubing Connector





OxyGo POCs

Product Name and Description

Part # / Options

OxyGo NEXT™

7.19" x 3.26" x 8.15" 4.7 lbs.

- 6 Pulse Flow Settings (1260 ml/min)
- Up to 13 hour battery life*
- Only 38 dB. at setting 2
- Included 5-year warranty on the unit; 1-year warranty on sieve beds & battery

#1400-3000

#1400-3000-16

system with double cell battery



OxyGo FIT™

5.9" x 2.7" x 7.2" 2.8 lbs.

- 3 Pulse Flow Settings (630 ml/min)
- Up to 5 hour battery life*
- Only 40 dB. at setting 2
- Included 3-year warranty on the unit; 1-year warranty on sieve beds & battery

#1400-2000

#1400-2000-8

system with double cell battery

* Double cell battery, setting 1. ** Available on OxyGo FIT POCs produced after 2/19 and OxyGo NEXT.

OxyGo Accessories		
Product Name and Description	OxyGo NEXT Part Number	OxyGo FIT Part Number
Single Lithium-Ion Rechargeable Battery	#1400-3010-8	#1400-2010-4
Double Lithium-Ion Rechargeable Battery	#1400-3010-16	#1400-2010-8
External / Desktop Battery Charger	#1400-3030	#1400-2030
Home / Office AC Power Supply	#1400-3040	#1400-2040
Carrying Bag / Case	#1170-3410	#1170-2410
Slim Backpack	#1170-3441	#1170-2440



Flow 0 - 5 LPM

Oxygen Concentration

93% (+3%, -3%)

Oxygen Output Pressure 8 (+2, -2) psi

Rated Voltage/Frequency 120 VAC ±10% 60Hz

Power Consumption 350 Watts

Sound ≤ 45 dB(A)

Dimensions

13.4" W x 11.8" D x 25.6" H 34 cm x 30 cm x 65 cm

Weight 41.8 lbs (19 kg)

OxyGo SOCs

Product Name and Description

Part # / Options

#1400-5100

OxyHome® Stationary Concentrator

13.4" x 11.8" x 25.6" 41.8 lbs.

- Quiet Operation
- Small Footprint
- Purity Check by Percentage
- Alarm Indicators:
 No Flow, Low/High Pressure, Purity, Power
- Twin Blower Cooling Design
- Contemporary Design
- 3-Year Replacement Warranty

OxyHome Replacement Parts	
Product Name and Description	Part # / Options
User Manual	#1170-5400
Foam Cabinet Filter (10 pack)	#1170-5401
HEPA / Compressor Inlet Filter	#1170-5402
Bacteria Filter	#1170-5403
Locking Wheel Kit (4 pack)	#1170-5404
Flow Control Knob	#1170-5405







LEARN MORE: lifecorporation.com

LIFE Corporation Emergency Oxygen

Product Name and Description

Part # / Options

LIFE® OxygenPac

9" x 6½" x 20" 18 lbs.

- Easy-to-use, portable, wall-mounted emergency oxygen for OnSite first-aid and safety programs.
- 90 minute supply @ 6 Liters per minute. Comes fully filled and easily refillable/disposable.
- Features LIFE® CPR mask with one-way valve, universally fits both adult and child.

#LIFE-612

6 LPM (NORM) and 12 LPM (HIGH)

#LIFE-025

0-25 LPM - variable flow 12 liter-flow settings

#LIFE-6FF

6 LPM Fixed-Flow

#LIFE-101

Replacement Cylinder M20, 566L

LIFE® SoftPac

4½" x 8" x 15" 6 lbs.

- Lightweight, portable companion for AED.
 Provides emergency oxygen to a breathing victim.
- 40 minute supply @ 6 Liters per minute. Comes fully filled and easily refillable/disposable.
- Features LIFE® CPR mask with one-way valve, universally fits both adult and child.

#LIFE-2-612

6 LPM (NORM) and 12 LPM (HIGH)

#LIFE-2-025

0-25 LPM - variable flow 12 liter-flow settings

#LIFE-2-6FF

6 LPM Fixed-Flow

#LIFE-2-101

Replacement Cylinder M9, 250L

LIFE® O2 Mini

4" x 6" x 12" 5 lbs.

 Perfect for school nurses offices, dentists, or any place where an accident could occur.
 Provides 15 minutes of life saving oxygen. #LIFE-O2-MINI

LIFE® StartSystem

4" x 13" x 13" 6 lbs. (without AED)

- StartSystem emergency oxygen unit. Works with standard AEDs for workplace first-aid and first responders.
- 15+ minute supply @ 6 Liters per minute.
 Comes fully filled and easily refillable/disposable.
- Features LIFE® CPR mask with one-way valve, universally fits both adult and child.

#LIFE-O2-LSS

Case, 6 and 12 LPM (NORM and HIGH) regulator, cylinder/valve/gauge, O2 fill, tubing mask

#LIFE-02-101

Replacement Cylinder M4, 113L

LIFE Corporation Oxygen Masks and Tubing		
CPR Mask - For Adults & Children	#LIFE-100	
CPR Mask with Strap - For Adults & Children	#LIFE-102	
7ft. Crimp-Proof Oxygen Hose	#LIFE-HOSE	

Marquard Ventures, LLC 2200 Principal Row Orlando, Florida 32837 U.S.A.

© Marquard Ventures, LLC

Please forward to your compliance officer and/or purchasing agent.





PRODUCT

10[™] EDITION

applied-inc.com

